



EST. 1997 * * *

Prepared for:

Sautter Crane Rental

,

on

3/19/2025

DISCLAIMER

Inspection reports are based upon observed procedures and inspections performed by Atlantic Crane Inspection Services, but are not intended to replace or supersede the necessity for routine or preventative maintenance procedures recommended by others, such as, but not limited to: manufacturers, operators, and other inspecting organizations. Referral to applicable regulation is essential with regard to responsibilities of owners and users for use, maintenance, and normal operational inspections. It is especially important that owners and users, regularly and by means of extraordinary disassembly and/or non-destructive testing arrange to effectively examine parts of the equipment which may be reasonably accessible by routine examinations, including such examinations by Atlantic Crane Inspection Services.

Equipment owners and users should assure continuous compliance with all manufacturer's specifications, including, but not limited to: full range accuracy of load indicating devices, machinery, etc. regardless of the extent to which specifications can be evaluated during Atlantic Crane Inspection Services.

Other requirements of applicable Federal and State regulations not specifically considered with the scope of recorded by related Atlantic Crane Inspections Services' reports, remain for the continuing attention and responsibility of equipment owner and users, including, but not limited to: adequate lighting, walkways, ladders, stairways, clearance between moving and fixed structures, electrical motor restart lockouts, fire extinguishers in the vicinity, etc.



Atlantic Crane Inspection Services P.O. Box 747 Bensalem, PA 19020 (215) 639-2579

> FolderID: 14940 FormID: 23787129



Sautter Crane Rental

Inspection

Hydraulic Boom Crane Inspection Report
(1910.180 & 1926.1400-1926.1441 as
necessary)Mathematic
Model
Ca
Ca
Location:Mathematic
USASerial #:044 078Ty
NuUnit #:\$440

Manufacturer:	Liebherr
Model:	LTC 1050-3.1
Capacity:	50 Tons
Length/Lift:	118 FT
Type of Crane:	Truck Crane (1910.180 & 1926.1400)
Number of Hoists:	Main & Auxiliary (Not in Use)
Boom Configuration:	Main Boom with Stowed Jib

Philadelphia PA Yard

Priorities Found: 99 - Good

Location of Equipment

1. Location of Equipment

Customer Sign Off

2. Customer Sign Off

IF THERE ARE NO DEFICIENCIES NOTHING NEEDS TO BE DONE.

IF THERE ARE ANY HIGH, RED, DEFICIENCIES PLEASE FOLLOW THE BELOW INSTRUCTIONS

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS PAGE ONLY to either jaime @atlanticcrane.com or gina @atlanticcrane.com or fax THIS PAGE ONLY to our office at215-639-2316 and a certification and sticker will be issued. The above deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However, those items should be corrected to improve equipment reliability and safety.

The undersigned verifies the listed deficiencies denoted with an (DEF, HIGH, RED) have been corrected.

Signature

Date

Inspection Information				
	3.	Inspection Number	25031901MH	
	4.	Inspection Date	03/19/2025	
	5.	Inspection Type	(Ann) Annual	
Hours and Miles			Ο	
	6.	Hours	11	P6
Information & Records				
	7.	Documentation of Annual / Comprehensive Inspection	(SAT) Satisfactory	
	8.	Monthly Inspection	(SAT) Satisfactory	
	9.	Record of Maintenance	(SAT) Satisfactory	
	10.	Hand Signal Chart	(SAT) Satisfactory	
	11.	Safety and Warning Labels	(SAT) Satisfactory	
	12.	Operator's Manual	(SAT) Satisfactory	

Sa	afety	Devices / Operational Aids	
	-	Audible Reverse Signal Alarm	(SAT) Satisfactory
		Audible Warning Device	(SAT) Satisfactory
	15.	Boom Angle Indicator	(SAT) Satisfactory
	16.	Boom Length Indicator	(SAT) Satisfactory
	17.		(SAT) Satisfactory
	18.	Two-Block System	(SAT) Satisfactory
	19.	Load Moment Indicator	(SAT) Satisfactory
	20.	Load Weight Indicator	(SAT) Satisfactory
	21.	Level Indicator	(SAT) Satisfactory
	22.	Fire Extinguisher	(SAT) Satisfactory
Lo	oad (Chart	
	23.	Load Chart	(SAT) Satisfactory
	24.	Per Configuration	(SAT) Satisfactory
	25.	Visible from Fixed Operator's Station	(SAT) Satisfactory
Са	arrie	r	
	26.	Steering	(SAT) Satisfactory
	27.	Parking Brake	(SAT) Satisfactory
	28.	External Lights (Headlights, Taillights, Brake Lights)	(SAT) Satisfactory
	29.	Windshield Wipers	(SAT) Satisfactory
	30.	Windows / Mirrors	(SAT) Satisfactory
	31.	Wheels/Tires	(SAT) Satisfactory
	32.	Engine Performance	(SAT) Satisfactory
	33.	Exhaust System	(SAT) Satisfactory
	34.	Drive Line	(SAT) Satisfactory
	35.	Main Frame Members	(SAT) Satisfactory
	36.	Hydraulic Hoses, Fittings, Tubes	(SAT) Satisfactory
	37.	Hydraulic Fluid Level	(SAT) Satisfactory
	38.	Hoses / Tubing / Fittings .	(SAT) Satisfactory
	39.	Slip Resistant Walking surface	(SAT) Satisfactory
0	utrig	gers	
	40.	Boxes & Beams	(SAT) Satisfactory
	41.	Hydraulic Cylinders	(SAT) Satisfactory
	42.	Pad / Float	(SAT) Satisfactory
	43.	Hoses / Tubing / Fittings	(SAT) Satisfactory
	44.	Holding Valves	(SAT) Satisfactory
	45.	Caution / Warning Signs	(SAT) Satisfactory
O	perat	tor's Station	
	46.	Windows/Wipers	(SAT) Satisfactory
	47.	Cab Door Restraint	(SAT) Satisfactory
	48.	Cab Access	(SAT) Satisfactory
	49.	Steps / Ladders / Handrails	(SAT) Satisfactory
	50.	Anti-Skid Stepping Surfaces	(SAT) Satisfactory
	51.	Fire Extinguisher	(SAT) Satisfactory
	52.	Electrocution Warning Sign(s)	(SAT) Satisfactory
	53.	Horn	(SAT) Satisfactory
	54.	Controls Identified	(SAT) Satisfactory
	55.	Control Functions	(SAT) Satisfactory

56.	Power Plant Controls		(SAT) Satisfactory		
57.	Operator Cutoff (Deadman) Switch		(SAT) Satisfactory		
Rotati	ng Upper Structure				
	Counterweight Frame		(SAT) Satisfactory		
59.	Ring and Pinion Gear		(SAT) Satisfactory		
60.	Hydraulic and Pneumatic Pumps		(SAT) Satisfactory		
61.	Hydraulic Tubes, Fitting, and Hoses		(SAT) Satisfactory		
62.	Hydraulic Pressure		(SAT) Satisfactory		
63.	Electrical Wiring		(SAT) Satisfactory		
64.			(SAT) Satisfactory		
65.	Counterweight Mounting		(SAT) Satisfactory		
66.	Counterweight Posted Warnings		(SAT) Satisfactory		
67.	Electrocution Posted Warnings		(SAT) Satisfactory		
68.	-		(SAT) Satisfactory		
	System				
			(SAT) Satisfactory		
	Brakes and Clutch System Wire Rope Reeving		(SAT) Satisfactory (SAT) Satisfactory		
71.	· ·		(SAT) Satisfactory		
72.			(SAT) Satisfactory		
73.	Drums/Lagging/Flanges		(SAT) Satisfactory		
	Anchor System		(SAT) Satisfactory		
	Hoist Spooling		(SAT) Satisfactory		
Main E					
76.	Lift Cylinder(s)		(SAT) Satisfactory		
77.	Telescoping Boom Cylinder(s)		(SAT) Satisfactory		
78.	Hydraulic Hoses, Tubes, and Fittings		(SAT) Satisfactory		
79.	Holding Device		(SAT) Satisfactory		
80.	Boom Sections Alignment		(SAT) Satisfactory		
81.	Wear Pads		(SAT) Satisfactory		
82.			(SAT) Satisfactory		
83.	Boom Hinge Pin		(SAT) Satisfactory		
84.	Boom Head Section		(SAT) Satisfactory		
85.	Structure		(SAT) Satisfactory		
Jib/Fly	/ Extension				
86.	Sheaves		(SAT) Satisfactory		
87.	Structure		(SAT) Satisfactory		
88.	Locking Device		(SAT) Satisfactory		
89.	Alignment		(SAT) Satisfactory		
90.	End Connections and Pins		(SAT) Satisfactory		
Main Drum Wire Rope					
91.	Diameter and wear				
	SIze	Construction	Number of Parts of Line		
	15mm	RR	2		
92.			(SAT) None Visible at Time of		
	Rope Damage				
52.	Rope Damage		inspection		
93.	Rope Damage				
	Lubrication		inspection		

95.	Diameter and wear				
	Slze	Construction	Number of Parts of Line		
	15mm	RR	Not in use		
Main H	loist Load Block/Ball & Hook				
96.	Capacity & Weight				
	Capacity	Weight			
	16 m ton	195 kg			
97.	Capacity Marking		(SAT) Satisfactory		
98.	Weight Marking		(SAT) Satisfactory		
99.	Sheave(s)		(SAT) Satisfactory		
• 100.	Safety Latch(es)		(SAT) Satisfactory		
• 101.	0° Hook Bend or Twist		(SAT) Satisfactory		
102.	5% Hook Opening or 1/4" Max		(SAT) Satisfactory		
• 103.	10% Hook Wear Max		(SAT) Satisfactory		
• 104.	Bearing		(SAT) Satisfactory		
• 105.	Wedge Socket / End Fitting		(SAT) Satisfactory		
• 106.	Reeving		(SAT) Satisfactory		
Verific	Verification and Completion				
107.	Inspector Name and Signature				

108. Additional Inspection Notes No visible deficiencies found at the time of Inspection

109. Sticker Given

(Y) Yes, Given on Site



P6.1