



Prepared for:

Sautter Crane rental

2900 Black Lake Place Philadelphia, PA 19154

DuPont

on

2/4/2024

Please return the entire report.

Customer Sign Off

-If there are no deficiencies nothing needs to be done

-If there are any (HIGH, RED) deficiencies please follow the instructions below

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to tony.rossi@tandemlift.com or jon.santimaw@tandemlift.com. After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance.

-The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.

Signature

Date

Table of Contents

 High  Med  Low Section

Inspection - *DuPont*

Telescoping Boom Crane: 056 785 -
S292

0

0


1

1.0

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Overview




Breakdown by Form

Form Type	 High	 Med	 Low	# Forms
Inspection	0	0	1	1
Overall:	0	0	1	1

Breakdown by Location

Location	 High	 Med	 Low	# Forms
DuPont	0	0	1	1
Overall:	0	0	1	1

Breakdown by Asset

Asset Type	 High	 Med	 Low	# Assets
Telescoping Boom Crane	0	0	1	1
Overall:	0	0	1	1

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



Tandem Lift LLC
 321 Enlow Place
 Pennsville, NJ 08070
 833-TANDEM1

Inspection

Sautter Crane rental
 2900 Black Lake Place
 Philadelphia, PA 19154

FolderID: 020324S292
 FormID: 19235002



Telescoping Boom Crane

Location: DuPont
Serial #: 056 785
TagID: S292
Status: In Service

Manufacturer: Liebherr
Model: LTC 1050-3.1
Capacity: 50 Tons
Length/Lift: 118'
Hook Type: Load Block & Hook

Priorities Found: ● 1 - Low ● 115 - Good

Hours and Miles

1. Hours	2403 Hours
2. Miles	29200 Miles
3. Hours [COPY]	
4. Hours [COPY]	

Historical Records

5. Monthly Inspection
6. Record of Maintenance
7. Documentation of Annual / Comprehensive Inspection
8. Equipment Modification(s) or additions
9. Record of Load Test

General

● 10. External Lights	(SAT) Satisfactory
● 11. Housekeeping	(SAT) Satisfactory
● 12. Safety and Warning Labels	(SAT) Satisfactory
● 13. Hand Signal Chart	(SAT) Satisfactory

Driver's Cab and Station

● 14. Service Brake	(SAT) Satisfactory
● 15. Emergency Brake	(SAT) Satisfactory
● 16. Parking Brake	(SAT) Satisfactory
● 17. External Lights (Headlights, Taillights, Brake Lights)	(SAT) Satisfactory
● 18. Audible Warning Device	(SAT) Satisfactory
● 19. Audible Reverse Signal Alarm	(SAT) Satisfactory
● 20. Windows / Mirrors	(MON) Monitor
■ 1 cracked mirror	
● 21. Windshield Wipers	(SAT) Satisfactory
● 22. Windshield Defroster	(SAT) Satisfactory
● 23. Seatbelts	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 24. Tires	(SAT) Satisfactory
● 25. Seat	(SAT) Satisfactory
● 26. Steering	(SAT) Satisfactory
● 27. Housekeeping	(SAT) Satisfactory
● 28. Fire Extinguisher	(SAT) Satisfactory
Lower Carrier Power Plant	
● 29. Engine Performance	(SAT) Satisfactory
● 30. Exhaust System	(SAT) Satisfactory
● 31. Belts	(SAT) Satisfactory
● 32. Rotating and Reciprocating Parts	(SAT) Satisfactory
Carrier	
● 33. Transmission	(SAT) Satisfactory
● 34. Drive Line	(SAT) Satisfactory
● 35. Tires	(SAT) Satisfactory
● 36. Tire Air Pressure	(SAT) Satisfactory
● 37. Main Frame Members	(SAT) Satisfactory
● 38. Hydraulic Hoses, Fittings, Tubes	(SAT) Satisfactory
● 39. Hydraulic Fluid Level	(SAT) Satisfactory
● 40. Hoses / Tubing / Fittings .	(SAT) Satisfactory
● 41. Slip Resistant Walking surface	(SAT) Satisfactory
● 42. Axle Lockout	(SAT) Satisfactory
● 43. Audible Reverse Signal Alarm	(SAT) Satisfactory
Outriggers	
● 44. Boxes & Beams	(SAT) Satisfactory
● 45. Hydraulic Cylinders	(SAT) Satisfactory
● 46. Pad / Float	(SAT) Satisfactory
● 47. Hoses / Tubing / Fittings	(SAT) Satisfactory
● 48. Holding Valves	(SAT) Satisfactory
● 49. Caution / Warning Signs	(SAT) Satisfactory
Operator's Station	
● 50. Windows	(SAT) Satisfactory
● 51. Windshield Wipers	(SAT) Satisfactory
● 52. Cab Door Restraint	(SAT) Satisfactory
● 53. Cab Access	(SAT) Satisfactory
● 54. Steps / Ladders / Handrails	(SAT) Satisfactory
● 55. Anti-Skid Stepping Surfaces	(SAT) Satisfactory
● 56. Load Chart	(SAT) Satisfactory
● 57. Fire Extinguisher	(NA) Not Applicable
● 58. Operator's Manual	(SAT) Satisfactory
● 59. Seat	(SAT) Satisfactory
● 60. Seatbelts	(SAT) Satisfactory
● 61. Electrocution Warning Sign(s)	(SAT) Satisfactory
● 62. Level	(SAT) Satisfactory
● 63. Horn	(SAT) Satisfactory
● 64. Load Indicator	(SAT) Satisfactory
● 65. Controls Identified	(SAT) Satisfactory
● 66. Control Mechanisms	(SAT) Satisfactory


Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 67. Power Plant Controls	(SAT) Satisfactory
● 68. Brake and Clutch	(SAT) Satisfactory
● 69. Travel Brakes	(SAT) Satisfactory
● 70. Travel Controls	(SAT) Satisfactory
● 71. Travel Mechanism	(SAT) Satisfactory
● 72. Travel Locks	(SAT) Satisfactory
Load Chart	
● 73. Ground Level, Remotely Controlled	(SAT) Satisfactory
● 74. Per Configuration	(SAT) Satisfactory
● 75. Visible from Fixed Operator's Station	(SAT) Satisfactory
● 76. Durable / Legible/ Secured	(SAT) Satisfactory
Safety Devices / Operational Aids	
● 77. Boom Angle Indicator	(SAT) Satisfactory
● 78. Boom Length Indicator	(SAT) Satisfactory
● 79. Main Drum Rotation Indicator	(SAT) Satisfactory
● 80. Auxiliary Drum Rotation Indicator	(NA) Not Applicable
● 81. Load Moment Indicator	(SAT) Satisfactory
● 82. Load Weight Indicator	(SAT) Satisfactory
● 83. Radius Indicator	(SAT) Satisfactory
● 84. Level Indicator	(SAT) Satisfactory
● 85. Two-Block System	(SAT) Satisfactory
● 86. Overload Prevention Device	(SAT) Satisfactory
Upper Power Plant	
87. Performance	
88. Exhaust System/Guards & Insulators	
89. Hoses	
90. Reciprocating and rotating parts	
Rotating Upper Structure	
● 91. Turntable / Bearing	(SAT) Satisfactory
● 92. Turntable / Rollers	(SAT) Satisfactory
● 93. Counterweight Frame	(SAT) Satisfactory
● 94. Ring and Pinion Gear	(SAT) Satisfactory
● 95. Hydraulic and Pneumatic Pumps	(SAT) Satisfactory
● 96. Hydraulic Tubes, Fitting, and Hoses	(SAT) Satisfactory
● 97. Hydraulic Pressure	(SAT) Satisfactory
● 98. Electrical Wiring	(SAT) Satisfactory
● 99. Main Hoist - Brakes and Clutch System	(SAT) Satisfactory
● 100. Main Hoist - Wire Rope Reeving	(SAT) Satisfactory
● 101. Main Hoist - Meets 2 rope wrap minimum	(SAT) Satisfactory
● 102. Auxiliary Hoist - Brakes and Clutch System	(NA) Not Applicable
● 103. Auxiliary Hoist - Wire Rope Reeving	(NA) Not Applicable
● 104. Auxiliary Hoist - Meets 2 rope wrap minimum	(NA) Not Applicable
● 105. Swing System / Assembly	(SAT) Satisfactory
● 106. Counterweight Mounting	(SAT) Satisfactory
● 107. Counterweight Posted Warnings	(SAT) Satisfactory
● 108. Electrocution Posted Warnings	(SAT) Satisfactory
Crawler Assembly	

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

109. Carbody And sideframes	
110. Chain and idler sprockets	
111. Track Pads and pins	
112. Travel Steering, Brakes, and Locking devices	
113. Steering Clutches	
Main Boom	
● 114. Lift Cylinder(s)	(SAT) Satisfactory
● 115. Telescoping Boom Cylinder(s)	(SAT) Satisfactory
● 116. Hydraulic Hoses, Tubes, and Fittings	(SAT) Satisfactory
● 117. Holding Device	(SAT) Satisfactory
● 118. Boom Sections Alignment	(SAT) Satisfactory
● 119. Wear Pads	(SAT) Satisfactory
● 120. Sheaves	(SAT) Satisfactory
● 121. Hoist Line Dead End	(SAT) Satisfactory
● 122. Boom Hinge Pin	(SAT) Satisfactory
● 123. Boom Head Section	(SAT) Satisfactory
● 124. Auxiliary Boom Head	(NA) Not Applicable
● 125. Structure	(SAT) Satisfactory
Jib	
126. Sheaves	
127. Wire Rope Retainers	
128. End Connections and Pins	
129. Wire Rope Retainers.	
Manual / Fly Section	
130. Alignment	
131. Locking Device	
132. Structure	
Main Drum Wire Rope	
● 133. Rope Damage	(SAT) Satisfactory
134. Diameter and wear	
Size	Actual diameter measurement
15mm	
● 135. Lubrication	(SAT) Satisfactory
● 136. End Connectors	(SAT) Satisfactory
Luffing Boom Attachment [COPY]	
137. Luffing Jib Section Identification	
138. Luffing Jib Section Sequence	
139. Luffing Jib Tip Section	
140. Luffing jib Warning Decals	
141. Luffing Jib Point Sheaves	
142. Luffing Hoist Line Dead End	
143. Wire Rope Retainers	
144. Luffing Jib Foot Keepers and Pins	
145. Lattice Members	
146. Cord Members	
147. End Connections and Pins	
148. Luffing Jib Angle Indicator	

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

149. Guard Rails	
150. Luffing Jib Stops	
151. Walking Surfaces	
152. Luffing Jib Hoist Reeving	
Auxiliary drum wire rope	
153. Rope Damage	
154. Diameter and wear	
Size	Actual diameter measurement
155. Broken Wires	
156. Lubrication.	
157. End Connectors	
Load Block & Hook	
● 158. Capacity Marking	(SAT) Satisfactory
● 159. Weight Marking	(SAT) Satisfactory
● 160. Sheave(s)	(SAT) Satisfactory
● 161. Safety Latch(es)	(SAT) Satisfactory
● 162. 0° Hook Bend or Twist	(SAT) Satisfactory
● 163. 5% Hook Opening or 1/4" Max	(SAT) Satisfactory
● 164. 10% Hook Wear Max	(SAT) Satisfactory
● 165. Bearing	(SAT) Satisfactory
● 166. Wedge Socket / End Fitting	(SAT) Satisfactory
● 167. Reeving	(SAT) Satisfactory
■ 2 parts of line	
Overhaul Ball & Hook	
168. Capacity Marking	
169. Weight Marking	
170. Safety Latches	
171. 0° Hook Bend or Twist	
172. 5% Hook Opening or 1/4" Max	
173. 10% Hook Wear Max	
174. Swivel / Bearing	
175. Wedge Socket / End Fitting	
No-Load Operational Test	
● 176. No-Load Operational Test	(SAT) Satisfactory
Verification and Completion	
177. Inspector Name and Signature	Chris Volz
	
178. Customer Sign Off - If there are no deficiencies nothing needs to be done - If there are any (HIGH, RED) deficiencies please follow the instructions below.	
179. Date of Inspection	02/03/2024
● 180. Certificate Issued	(Y) Yes

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.