



Prepared for:

Sautter Crane Rental

on

1/7/2023

DISCLAIMER

Inspection reports are based upon observed procedures and inspections performed by Atlantic Crane Inspection Services, but are not intended to replace or supersede the necessity for routine or preventative maintenance procedures recommended by others, such as, but not limited to: manufacturers, operators, and other inspecting organizations. Referral to applicable regulation is essential with regard to responsibilities of owners and users for use, maintenance, and normal operational inspections. It is especially important that owners and users, regularly and by means of extraordinary disassembly and/or non-destructive testing arrange to effectively examine parts of the equipment which may be reasonably accessible by routine examinations, including such examinations by Atlantic Crane Inspection Services.

Equipment owners and users should assure continuous compliance with all manufacturer's specifications, including, but not limited to: full range accuracy of load indicating devices, machinery, etc. regardless of the extent to which specifications can be evaluated during Atlantic Crane Inspection Services.

Other requirements of applicable Federal and State regulations not specifically considered with the scope of recorded by related Atlantic Crane Inspections Services' reports, remain for the continuing attention and responsibility of equipment owner and users, including, but not limited to: adequate lighting, walkways, ladders, stairways, clearance between moving and fixed structures, electrical motor restart lockouts, fire extinguishers in the vicinity, etc.



Inspection
Sautter Crane Rental

FolderID: 11587
FormID: 15641471



**Lattice Boom Crane Inspection Report
(1910.180 & 1926.1400-1926.1441 as
necessary)**

Completed by: Brian McMahon on 01/07/2023

| | |
|-----------|------------|
| Location: | USA |
| Serial #: | N6J7 9528 |
| Unit #: | N/A |
| Status: | In Service |

| | |
|--------------------------|--|
| Manufacturer: | Link-Belt |
| Model: | 218 |
| Capacity: | 100 Tons |
| Length: | 140'+45' |
| Type of Crane: | Crawler Lattice (1910.180 & 1926.1400) |
| Number of Lifting Hoist: | Main & Auxiliary |
| Boom Hoist Setup: | Gantry & Standard Mast |
| Jib: | Fixed Jib |

Priorities Found: ● **108 - Good**

Location of Equipment

1. Location of Equipment **S. Broad & Washington, Phila, PA**

Customer Sign Off

2. Customer Sign Off

IF THERE ARE NO DEFICIENCIES NOTHING NEEDS TO BE DONE.

IF THERE ARE ANY HIGH, RED, DEFICIENCIES PLEASE FOLLOW THE BELOW INSTRUCTIONS

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS PAGE ONLY to either jaim@atlanticcrane.com or gina@atlanticcrane.com or fax THIS PAGE ONLY to our office at 215-639-2316 and a certification and sticker will be issued. The above deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However, those items should be corrected to improve equipment reliability and safety.

The undersigned verifies the listed deficiencies denoted with an (DEF, HIGH, RED) have been corrected.

Signature

Date

Inspection Information

| | |
|----------------------|----------------------------------|
| 3. Inspection Number | 230010701BM |
| 4. Inspection Date | 01/07/2023 |
| ● 5. Inspection Type | (Site) On-Site Inspection |

Information & Records

| | |
|---|---------------------------|
| ● 6. Documentation of Annual / Comprehensive Inspection | (SAT) Satisfactory |
| ● 7. Monthly Inspection | (SAT) Satisfactory |
| ● 8. Record of Maintenance | (SAT) Satisfactory |
| ● 9. Hand Signal Chart | (SAT) Satisfactory |
| ● 10. Safety and Warning Labels | (SAT) Satisfactory |
| ● 11. Operator's Manual | (SAT) Satisfactory |

Safety Devices / Operational Aids



Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

| | |
|--|--------------------|
| ● 12. Audible Reverse Signal Alarm | (SAT) Satisfactory |
| ● 13. Boom Angle Indicator | (SAT) Satisfactory |
| ● 14. Drum rotation indicator | (SAT) Satisfactory |
| ● 15. Two-Block System | (SAT) Satisfactory |
| ● 16. Radius Indicator | (SAT) Satisfactory |
| ● 17. Load Moment Indicator | (SAT) Satisfactory |
| ● 18. Crane Level Indicator | (SAT) Satisfactory |
| ● 19. Boom Hoist Limiting Device | (SAT) Satisfactory |
| ● 20. Fire Extinguisher | (SAT) Satisfactory |
| Load Chart | |
| ● 21. Load Chart | (SAT) Satisfactory |
| ● 22. Per Configuration | (SAT) Satisfactory |
| ● 23. Durable / Legible/ Secured | (SAT) Satisfactory |
| Crawler Assembly | |
| ● 24. Car body/ Side frames | (SAT) Satisfactory |
| ● 25. Chain, idlers and Sprocket | (SAT) Satisfactory |
| ● 26. Track Pads, and Pins | (SAT) Satisfactory |
| ● 27. Travel Steering, Brakes, and Locking Devices | (SAT) Satisfactory |
| Operator's Station | |
| ● 28. Windows/Wipers | (SAT) Satisfactory |
| ● 29. Cab Door Restraint | (SAT) Satisfactory |
| ● 30. Steps / Ladders / Handrails | (SAT) Satisfactory |
| ● 31. Horn | (SAT) Satisfactory |
| ● 32. Anti-Skid Stepping Surfaces | (SAT) Satisfactory |
| ● 33. Mirrors | (SAT) Satisfactory |
| ● 34. Decals | (SAT) Satisfactory |
| ● 35. Electrocution Warning Sign(inside the cab) | (SAT) Satisfactory |
| ● 36. Swing Brake | (SAT) Satisfactory |
| ● 37. Positive Swing lock | (SAT) Satisfactory |
| ● 38. Control Function | (SAT) Satisfactory |
| ● 39. Performance Indicators (Pressure) | (SAT) Satisfactory |
| ● 40. Posted Warnings | (SAT) Satisfactory |
| ● 41. Brake and Clutch | (SAT) Satisfactory |
| ● 42. Boom Hoist Ratchet and Pawl | (SAT) Satisfactory |
| ● 43. Accelerator / Throttle | (SAT) Satisfactory |
| ● 44. Foot Brakes, Latches, and Linkage | (SAT) Satisfactory |
| ● 45. Operator Cutoff (Deadman) Switch | (SAT) Satisfactory |
| Rotating Upper Structure | |
| ● 46. Engine | (SAT) Satisfactory |
| ● 47. Oil & Fluid Levels | (SAT) Satisfactory |
| ● 48. Turntable / Bearing | (SAT) Satisfactory |
| ● 49. Ring and Pinion Gear | (SAT) Satisfactory |
| ● 50. Hydraulic and Pneumatic Pumps | (SAT) Satisfactory |
| ● 51. Hydraulic Tubes, Fitting, and Hoses | (SAT) Satisfactory |
| ● 52. Hydraulic Pressure | (SAT) Satisfactory |
| ● 53. Covers and Guards | (SAT) Satisfactory |
| ● 54. Electrical Wiring | (SAT) Satisfactory |

Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

| | |
|--|--|
| ● 55. External Lights | (SAT) Satisfactory |
| ● 56. Swing System / Assembly | (SAT) Satisfactory |
| ● 57. Torque Converter | (SAT) Satisfactory |
| ● 58. Slip resistant walking and stepping surfaces | (SAT) Satisfactory |
| ● 59. Steps, Grab rails, and platforms | (SAT) Satisfactory |
| ● 60. Access to Cab and Roof | (SAT) Satisfactory |
| ● 61. Counterweight Mounting | (SAT) Satisfactory |
| ● 62. Counterweight Warnings Signs | (SAT) Satisfactory |
| ● 63. Electrocution Warnings Signs | (SAT) Satisfactory |
| ● 64. Structure | (SAT) Satisfactory |
| Hoist System | |
| ● 65. Brakes and Clutch System | (SAT) Satisfactory |
| ● 66. Wire Rope Reeving | (SAT) Satisfactory |
| ● 67. Meets 2 rope wrap minimum | (SAT) Satisfactory |
| ● 68. Motor | (SAT) Satisfactory |
| ● 69. Drums/Lagging/Flanges | (SAT) Satisfactory |
| ● 70. Clutch and Brake Pad Condition | (SAT) Satisfactory |
| ● 71. Anchor System | (SAT) Satisfactory |
| Boom | |
| ● 72. Gantry and Mast | (SAT) Satisfactory |
| ● 73. Boom Stops | (SAT) Satisfactory |
| ● 74. Inner Bail | (SAT) Satisfactory |
| ● 75. Outer Bail and Equalizer | (SAT) Satisfactory |
| ● 76. Boom Section Sequence | (SAT) Satisfactory |
| ● 77. Boom Section Alignment | (SAT) Satisfactory |
| ● 78. Warning Labels and Decals | (SAT) Satisfactory |
| ● 79. Sheaves | (SAT) Satisfactory |
| ● 80. Boom Head Section | (SAT) Satisfactory |
| ● 81. Lattice Members | (SAT) Satisfactory |
| ● 82. Cord Members | (SAT) Satisfactory |
| ● 83. End Connections/Pins | (SAT) Satisfactory |
| ● 84. Boom Foot Pins and Keepers | (SAT) Satisfactory |
| ● 85. Hoist Line Dead End | (SAT) Satisfactory |
| ● 86. Wire Rope Retainers | (SAT) Satisfactory |
| Jib | |
| ● 87. Sheaves | (SAT) Satisfactory |
| ● 88. Wire Rope Retainers | (SAT) Satisfactory |
| ● 89. Lattice Members | (SAT) Satisfactory |
| ● 90. Cord Members | (SAT) Satisfactory |
| ● 91. End Connections and Pins | (SAT) Satisfactory |
| ● 92. Jib Stops | (SAT) Satisfactory |
| Wire Rope Main Hoist drum | |
| 93. Diameter & Wear | |
| Size: | Construction |
| 1" | RR |
| | Number of Parts of Line |
| | 1 |
| ● 94. Broken Wires | (SAT) None Visible at Time of inspection |

Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

| | |
|---|--|
| ● 95. Rope Kinking, Crushing, Distortion, Birdcaging, Twisting, Ect | (SAT) Satisfactory |
| ● 96. Lubrication | (SAT) Satisfactory |
| ● 97. End Connectors | (SAT) Satisfactory |
| Wire rope Boom Hoist Drum | |
| 98. Diameter & Wear | |
| Size: | Construction |
| 3/4" | 6x RRL |
| ● 99. Broken Wires | (SAT) None Visible at Time of inspection |
| ● 100. Rope Kinking, Crushing, Distortion, Birdcaging, Twisting, Ect | (SAT) Satisfactory |
| ● 101. Lubrication | (SAT) Satisfactory |
| ● 102. End Connectors | (SAT) Satisfactory |
| Pendants & End connections | |
| 103. Diameter & Wear | |
| Size: | Construction |
| 1 1/4" | 6x RRL |
| ● 104. Rope Damage. | (SAT) Satisfactory |
| Main Hoist Load Block/Ball & Hook | |
| 105. Capacity & Weight | P117 |
| Capacity | Weight |
| 12 Tons | 716 lbs |
| ● 106. Capacity Marking | (SAT) Satisfactory |
| ● 107. Weight Marking | (SAT) Satisfactory |
| ● 108. Sheave(s) | (SAT) Satisfactory |
| ● 109. Safety Latch(es) | (SAT) Satisfactory |
| ● 110. 0° Hook Bend or Twist | (SAT) Satisfactory |
| ● 111. 5% Hook Opening or 1/4" Max | (SAT) Satisfactory |
| ● 112. 10% Hook Wear Max | (SAT) Satisfactory |
| ● 113. Swivel | (SAT) Satisfactory |
| ● 114. Bearing | (SAT) Satisfactory |
| ● 115. Wedge Socket / End Fitting | (SAT) Satisfactory |
| ● 116. Reeving | (SAT) Satisfactory |
| Verification and Completion | |
| 117. Inspector Name and Signature | Brian C McMahon |
|  | |
|  | |

Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



P117.1

