



Prepared for:

## **Sautter Crane rental**

2900 Black Lake Place Philadelphia, PA 19154

654 Berlin Crosskeys Rd

on

12/15/2023

Please return the entire report.

**Customer Sign Off**

**-If there are no deficiencies nothing needs to be done**

**-If there are any (HIGH, RED) deficiencies please follow the instructions below**

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to [tony.rossi@tandemlift.com](mailto:tony.rossi@tandemlift.com) or [jon.santimaw@tandemlift.com](mailto:jon.santimaw@tandemlift.com). After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance.

-The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

# Table of Contents

 High  Med  Low Section

Inspection - 654 Berlin Crosskeys Rd

Telescoping Boom Crane: 045 124 -  
S246

0

0

0

**1.0**

---




Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

# Overview


## Breakdown by Form

Form Type	 High	 Med	 Low	# Forms
Inspection	0	0	0	1
<b>Overall:</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>

## Breakdown by Location

Location	 High	 Med	 Low	# Forms
654 Berlin Crosskeys Rd	0	0	0	1
<b>Overall:</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>

## Breakdown by Asset

Asset Type	 High	 Med	 Low	# Assets
Telescoping Boom Crane	0	0	0	1
<b>Overall:</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



Tandem Lift LLC  
 321 Enlow Place  
 Pennsville, NJ 08070  
 833-TANDEM1

## Inspection

**Sautter Crane rental**  
 2900 Black Lake Place  
 Philadelphia, PA 19154

FolderID: 121523S246  
 FormID: 18736191



### Telescoping Boom Crane

**Location:** 654 Berlin Crosskeys Rd

**Serial #:** 045 124

**TagID:** S246

*Additional Notes: 160 ft boom  
 2 parts of line  
 Auxiliary drum not out*

**Manufacturer:** Liebherr

**Model:** LTM 1100-5.2

**Capacity:** 120 Tons

**Length/Lift:** 171'

**Hook Type:** Load Block & Hook

Priorities Found: ● 128 - Good

### Hours and Miles

1. Hours	<b>6,181 Hours</b>
2. Miles	<b>41,149 Miles</b>
3. Hours [COPY]	
4. Hours [COPY]	

### General

● 10. External Lights	<b>(SAT) Satisfactory</b>
● 11. Housekeeping	<b>(SAT) Satisfactory</b>
● 12. Safety and Warning Labels	<b>(SAT) Satisfactory</b>
● 13. Hand Signal Chart	<b>(SAT) Satisfactory</b>

### Driver's Cab and Station

● 14. Service Brake	<b>(SAT) Satisfactory</b>
● 15. Emergency Brake	<b>(SAT) Satisfactory</b>
● 16. Parking Brake	<b>(SAT) Satisfactory</b>
● 17. External Lights (Headlights, Taillights, Brake Lights)	<b>(SAT) Satisfactory</b>
● 18. Audible Warning Device	<b>(SAT) Satisfactory</b>
● 19. Audible Reverse Signal Alarm	<b>(SAT) Satisfactory</b>
● 20. Windows / Mirrors	<b>(SAT) Satisfactory</b>
● 21. Windshield Wipers	<b>(SAT) Satisfactory</b>
● 22. Windshield Defroster	<b>(SAT) Satisfactory</b>
● 23. Seatbelts	<b>(SAT) Satisfactory</b>
● 24. Tires	<b>(SAT) Satisfactory</b>
● 25. Seat	<b>(SAT) Satisfactory</b>
● 26. Steering	<b>(SAT) Satisfactory</b>
● 27. Housekeeping	<b>(SAT) Satisfactory</b>
● 28. Fire Extinguisher	<b>(SAT) Satisfactory</b>

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

## Lower Carrier Power Plant

● 29. Engine Performance	(SAT) Satisfactory
● 30. Exhaust System	(SAT) Satisfactory
● 31. Belts	(SAT) Satisfactory
● 32. Rotating and Reciprocating Parts	(SAT) Satisfactory

## Carrier

● 33. Transmission	(SAT) Satisfactory
● 34. Drive Line	(SAT) Satisfactory
● 35. Tires	(SAT) Satisfactory
● 36. Tire Air Pressure	(SAT) Satisfactory
● 37. Main Frame Members	(SAT) Satisfactory
● 38. Hydraulic Hoses, Fittings, Tubes	(SAT) Satisfactory
● 39. Hydraulic Fluid Level	(SAT) Satisfactory
● 40. Hoses / Tubing / Fittings .	(SAT) Satisfactory
● 41. Slip Resistant Walking surface	(SAT) Satisfactory
● 42. Axle Lockout	(SAT) Satisfactory
● 43. Audible Reverse Signal Alarm	(SAT) Satisfactory

## Outriggers

● 44. Boxes & Beams	(SAT) Satisfactory
● 45. Hydraulic Cylinders	(SAT) Satisfactory
● 46. Pad / Float	(SAT) Satisfactory
● 47. Hoses / Tubing / Fittings	(SAT) Satisfactory
● 48. Holding Valves	(SAT) Satisfactory
● 49. Caution / Warning Signs	(SAT) Satisfactory

## Operator's Station

● 50. Windows	(SAT) Satisfactory
● 51. Windshield Wipers	(SAT) Satisfactory
● 52. Cab Door Restraint	(SAT) Satisfactory
● 53. Cab Access	(SAT) Satisfactory
● 54. Steps / Ladders / Handrails	(SAT) Satisfactory
● 55. Anti-Skid Stepping Surfaces	(SAT) Satisfactory
● 56. Load Chart	(SAT) Satisfactory
● 57. Fire Extinguisher	(SAT) Satisfactory
● 58. Operator's Manual	(SAT) Satisfactory
● 59. Seat	(SAT) Satisfactory
● 60. Seatbelts	(SAT) Satisfactory
● 61. Electrocution Warning Sign(s)	(SAT) Satisfactory
● 62. Level	(SAT) Satisfactory
● 63. Horn	(SAT) Satisfactory
● 64. Load Indicator	(SAT) Satisfactory
● 65. Controls Identified	(SAT) Satisfactory
● 66. Control Mechanisms	(SAT) Satisfactory
● 67. Power Plant Controls	(SAT) Satisfactory
● 68. Brake and Clutch	(SAT) Satisfactory
● 69. Travel Brakes	(SAT) Satisfactory
● 70. Travel Controls	(SAT) Satisfactory
● 71. Travel Mechanism	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 72. Travel Locks	(NA) Not Applicable
<b>Load Chart</b>	
● 73. Ground Level, Remotely Controlled	(SAT) Satisfactory
● 74. Per Configuration	(SAT) Satisfactory
● 75. Visible from Fixed Operator's Station	(SAT) Satisfactory
● 76. Durable / Legible/ Secured	(SAT) Satisfactory
<b>Safety Devices / Operational Aids</b>	
● 77. Boom Angle Indicator	(SAT) Satisfactory
● 78. Boom Length Indicator	(SAT) Satisfactory
● 79. Main Drum Rotation Indicator	(SAT) Satisfactory
● 80. Auxiliary Drum Rotation Indicator	(NA) Not Applicable
● 81. Load Moment Indicator	(SAT) Satisfactory
● 82. Load Weight Indicator	(SAT) Satisfactory
● 83. Radius Indicator	(SAT) Satisfactory
● 84. Level Indicator	(SAT) Satisfactory
● 85. Two-Block System	(SAT) Satisfactory
● 86. Overload Prevention Device	(SAT) Satisfactory
<b>Upper Power Plant</b>	
● 87. Performance	(SAT) Satisfactory
● 88. Exhaust System/Guards & Insulators	(SAT) Satisfactory
● 89. Hoses	(SAT) Satisfactory
● 90. Reciprocating and rotating parts	(SAT) Satisfactory
<b>Rotating Upper Structure</b>	
● 91. Turntable / Bearing	(SAT) Satisfactory
● 92. Turntable / Rollers	(SAT) Satisfactory
● 93. Counterweight Frame	(SAT) Satisfactory
● 94. Ring and Pinion Gear	(SAT) Satisfactory
● 95. Hydraulic and Pneumatic Pumps	(SAT) Satisfactory
● 96. Hydraulic Tubes, Fitting, and Hoses	(SAT) Satisfactory
● 97. Hydraulic Pressure	(SAT) Satisfactory
● 98. Electrical Wiring	(SAT) Satisfactory
● 99. Main Hoist - Brakes and Clutch System	(SAT) Satisfactory
● 100. Main Hoist - Wire Rope Reeving	(SAT) Satisfactory
■ 2 parts of line	
● 101. Main Hoist - Meets 2 rope wrap minimum	(SAT) Satisfactory
● 102. Auxiliary Hoist - Brakes and Clutch System	(NA) Not Applicable
● 103. Auxiliary Hoist - Wire Rope Reeving	(NA) Not Applicable
● 104. Auxiliary Hoist - Meets 2 rope wrap minimum	(NA) Not Applicable
● 105. Swing System / Assembly	(SAT) Satisfactory
● 106. Counterweight Mounting	(SAT) Satisfactory
● 107. Counterweight Posted Warnings	(SAT) Satisfactory
● 108. Electrocutation Posted Warnings	(SAT) Satisfactory
<b>Main Boom</b>	
● 114. Lift Cylinder(s)	(SAT) Satisfactory
● 115. Telescoping Boom Cylinder(s)	(SAT) Satisfactory
● 116. Hydraulic Hoses, Tubes, and Fittings	(SAT) Satisfactory
● 117. Holding Device	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 118. Boom Sections Alignment	(SAT) Satisfactory
● 119. Wear Pads	(SAT) Satisfactory
● 120. Sheaves	(SAT) Satisfactory
● 121. Hoist Line Dead End	(SAT) Satisfactory
● 122. Boom Hinge Pin	(SAT) Satisfactory
● 123. Boom Head Section	(SAT) Satisfactory
● 124. Auxiliary Boom Head	(SAT) Satisfactory
● 125. Structure	(SAT) Satisfactory
<b>Jib</b>	
● 126. Sheaves	(SAT) Satisfactory
● 127. Wire Rope Retainers	(SAT) Satisfactory
● 128. End Connections and Pins	(SAT) Satisfactory
● 129. Wire Rope Retainers.	(SAT) Satisfactory
<b>Manual / Fly Section</b>	
● 130. Alignment	(SAT) Satisfactory
● 131. Locking Device	(SAT) Satisfactory
● 132. Structure	(SAT) Satisfactory
<b>Main Drum Wire Rope</b>	
● 133. Rope Damage	(SAT) Satisfactory
134. Diameter and wear	
Size	Actual diameter measurement
<b>21 mm</b>	<b>21.75 mm</b>
● 135. Lubrication	(SAT) Satisfactory
● 136. End Connectors	(SAT) Satisfactory
<b>Auxiliary drum wire rope</b>	
● 153. Rope Damage	(NA) Not Applicable
154. Diameter and wear	
Size	Actual diameter measurement
<b>0</b>	<b>0</b>
● 155. Broken Wires	(NA) Not Applicable
● 156. Lubrication.	(NA) Not Applicable
● 157. End Connectors	(NA) Not Applicable
<b>Load Block &amp; Hook</b>	
● 158. Capacity Marking	(SAT) Satisfactory
● 159. Weight Marking	(SAT) Satisfactory
● 160. Sheave(s)	(SAT) Satisfactory
● 161. Safety Latch(es)	(SAT) Satisfactory
● 162. 0° Hook Bend or Twist	(SAT) Satisfactory
● 163. 5% Hook Opening or 1/4" Max	(SAT) Satisfactory
● 164. 10% Hook Wear Max	(SAT) Satisfactory
● 165. Bearing	(SAT) Satisfactory
● 166. Wedge Socket / End Fitting	(SAT) Satisfactory
● 167. Reeving	(SAT) Satisfactory
■ 2 parts of line	
<b>No-Load Operational Test</b>	
● 176. No-Load Operational Test	(SAT) Satisfactory
<b>Verification and Completion</b>	

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



177. Inspector Name and Signature

**Anthony Capozzi**



178. Customer Sign Off - If there are no deficiencies nothing needs to be done - If there are any (HIGH, RED) deficiencies please follow the instructions below.

179. Date of Inspection

**12/15/2023**

● 180. Certificate Issued

**(Y) Yes**