



Prepared for:

Sautter Crane Rental

2900 Black Lake Place Philadelphia, PA 19154

Sautter Yard

on

1/18/2026

Please return the entire report.

Customer Sign Off

-If there are no deficiencies nothing needs to be done

-If there are any (HIGH, RED) deficiencies please follow the instructions below

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to tony.rossi@tandemlift.com or jon.santimaw@tandemlift.com. After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance.

-The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.

Signature

Date

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Table of Contents

 High  Med  Low Section

Hydraulic Boom Crane Annual Inspection Report
(1910.180 & 1926.1400) - Sautter Yard

Telescoping Boom Crane: 086298 -
S392

0

0

0

1.0

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Overview

Breakdown by Form

Form Type	High	Med	Low	# Forms
Hydraulic Boom Crane Annual Inspection Report (1910.180 & 1926.1400)	0	0	0	1
Overall:	0	0	0	1

Breakdown by Location

Location	High	Med	Low	# Forms
Sautter Yard	0	0	0	1
Overall:	0	0	0	1

Breakdown by Asset

Asset Type	High	Med	Low	# Assets
Telescoping Boom Crane	0	0	0	1
Overall:	0	0	0	1

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



Tandem Lift LLC
321 Enlow Place
Pennsville, NJ 08070
833-TANDEM1

Hydraulic Boom Crane Annual Inspection Report (1910.180 & 1926.1400)

Sautter Crane Rental
2900 Black Lake Place
Philadelphia, PA 19154

FolderID: 011726S392
FormID: 27365248



Telescoping Boom Crane

Location: Sautter Yard
2900 Black Lake Place
Philadelphia, PA 19154
Serial Number: 086298
Unit Number: S392
Status: In Service

Manufacturer:	Liebherr
Model:	LTM 1070 4.2
Capacity:	80 Tons
Length/Lift:	164'
Type of Crane:	Load Block & Hook
Number of Hoists:	Main Only
Boom Configuration:	Main Boom with Stowed Jib
Load Test:	No

Priorities Found: ● 115 - Good

General

1. Location of Equipment	2900 Black Lake Place
2. Customer Sign Off	
3. Hours & Mileage	
Hours	Mileage
1390	18576km

Inspection Information

4. Inspection Number	011726S392
5. Inspection Date	01/17/2026
6. Inspection Type	(Ann) Annual

Information & Records

7. Documentation of Annual/Comprehensive Inspection	(NA) Not Applicable
8. Daily/Monthly Inspection Records	(NA) Not Applicable
9. Maintenance Records	(NA) Not Applicable
10. Hand Signal Chart	(SAT) Satisfactory
11. Safety and Warning Decals	(SAT) Satisfactory
12. Operators Manual	(SAT) Satisfactory
13. Equipment Modification(s) or Additions	(NA) Not Applicable

Safety Devices & Operational Aids

14. Backup Alarm	(SAT) Satisfactory
15. Audible Warning Device	(SAT) Satisfactory
16. Boom Angle Indicator	(SAT) Satisfactory
17. Boom Length Indicator	(SAT) Satisfactory
18. Drum Rotation Indicator(s)	(SAT) Satisfactory
19. Anti Two-Block Device/System	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 20. Load Moment Indicator (LMI)	(SAT) Satisfactory
● 21. Load Weight Indicator	(SAT) Satisfactory
● 22. Radius Indicator	(SAT) Satisfactory
● 23. Level Indicator(s)	(SAT) Satisfactory
● 24. Fire Extinguisher	(SAT) Satisfactory
Load Chart	
● 25. Visible/Accessible	(SAT) Satisfactory
● 26. Per Configuration	(SAT) Satisfactory
● 27. Durable/Legible/Secured	(SAT) Satisfactory
Crawler Assembly	
● 28. Car Body & Side Frames	(NA) Not Applicable
● 29. Chain & Idler Sprockets	(NA) Not Applicable
● 30. Crawler Tracks/Pads/Pins	(NA) Not Applicable
● 31. Travel Steering/Brakes/Locking Devices	(NA) Not Applicable
● 32. Steering Clutches	(SAT) Satisfactory
Carrier	
● 51. Steering	(SAT) Satisfactory
● 52. Parking Brake	(SAT) Satisfactory
● 53. Exterior Lights (Headlights, Turn Signals, Brake Lights, Reverse Lights)	(SAT) Satisfactory
● 54. Windshield & Wipers	(SAT) Satisfactory
● 55. Windows & Mirrors	(SAT) Satisfactory
● 56. Wheels & Tires	(SAT) Satisfactory
● 57. Engine	(SAT) Satisfactory
● 58. Exhaust System	(SAT) Satisfactory
● 59. Axle Lockout	(SAT) Satisfactory
● 60. Drive Line	(SAT) Satisfactory
● 61. Main Frame Members	(SAT) Satisfactory
● 62. Hoses/Fittings//Valves	(SAT) Satisfactory
● 63. Hydraulic Tank & Fluid Level	(SAT) Satisfactory
● 64. Slip Resistant Walking Surfaces	(SAT) Satisfactory
● 65. Steps/Ladders/Handrails	(SAT) Satisfactory
Outriggers/Stabilizers	
● 66. Structure & Mounting	(SAT) Satisfactory
● 67. Boxes & Beams	(SAT) Satisfactory
● 68. Cylinders	(SAT) Satisfactory
● 69. Pads/Floats	(SAT) Satisfactory
● 70. Hoses/Fittings/Valves	(SAT) Satisfactory
Operators Station	
● 71. Windows & Wipers	(SAT) Satisfactory
● 72. Cab Door Restraint	(SAT) Satisfactory
● 73. Cab Access	(SAT) Satisfactory
● 74. Steps/Ladders/Handrails	(SAT) Satisfactory
● 75. Anti-Skid Stepping Surfaces	(SAT) Satisfactory
● 76. Fire Extinguisher	(SAT) Satisfactory
● 77. Operator Horn	(SAT) Satisfactory
● 78. Controls Identified	(SAT) Satisfactory
● 79. Control Functions	(SAT) Satisfactory
● 80. Power Plant Controls	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 81. Operator Cutoff Switch (Deadman)	(SAT) Satisfactory
● 82. Brake & Clutch	(SAT) Satisfactory
● 83. Travel Controls	(SAT) Satisfactory
● 84. Accelerator/Throttle Control	(SAT) Satisfactory
● 85. Hoses/Fittings/Valves	(SAT) Satisfactory
● 86. Housekeeping	(SAT) Satisfactory

Upper Structure

● 87. Turntable	(SAT) Satisfactory
● 88. Mounting	(SAT) Satisfactory
● 89. Turret	(SAT) Satisfactory
● 90. Hydraulic Pump(s)	(SAT) Satisfactory
● 91. Hoses/Fittings/Valves	(SAT) Satisfactory
● 92. Electrical Wiring	(SAT) Satisfactory
● 93. Hoist Brake	(SAT) Satisfactory
● 94. Hoist Motor	(SAT) Satisfactory
● 95. Hoist Spooling	(SAT) Satisfactory
● 96. Hoist-Minimum 2 Rope Wraps	(SAT) Satisfactory
● 97. Swing Gearbox	(SAT) Satisfactory

Rotating Upper Structure

● 98. Structure	(SAT) Satisfactory
● 99. Engine	(NA) Not Applicable
● 100. Exhaust System/Guards/Insulators	(NA) Not Applicable
● 101. Hoses/Fittings/Valves	(SAT) Satisfactory
● 102. Hydraulic & Pneumatic Pumps	(SAT) Satisfactory
● 103. Hydraulic Pressure	(SAT) Satisfactory
● 104. Electrical Wiring	(SAT) Satisfactory
● 105. Ring & Pinion Gear	(SAT) Satisfactory
● 106. Swing System/Assembly	(SAT) Satisfactory
● 107. Counterweight Frame	(SAT) Satisfactory
● 108. Counterweight Mounting	(SAT) Satisfactory

Hoist System

● 109. Brakes & Clutch System	(SAT) Satisfactory
● 110. Wire Rope Reeling	(SAT) Satisfactory
● 111. 2 Rope Wrap Minimum	(SAT) Satisfactory
● 112. Hoist Motor	(SAT) Satisfactory
● 113. Hoses/Fittings/Valves	(SAT) Satisfactory
● 114. Drums/Lagging/Flanges	(SAT) Satisfactory
● 115. Anchor System	(SAT) Satisfactory
● 116. Hoist Spooling	(SAT) Satisfactory

Main Boom

● 117. Lift Cylinder(s)	(SAT) Satisfactory
● 118. Telescoping Boom Cylinder(s)	(SAT) Satisfactory
● 119. Hoses/Fittings/Valves	(SAT) Satisfactory
● 120. Holding Device	(SAT) Satisfactory
● 121. Boom Sections Alignment	(SAT) Satisfactory
● 122. Wear Pads	(SAT) Satisfactory
● 123. Sheaves	(SAT) Satisfactory
● 124. Wire Rope Retainers	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 125. Boom Hinge Pin	(SAT) Satisfactory
● 126. Boom Head Section	(SAT) Satisfactory
● 127. Auxiliary Boom Head	(SAT) Satisfactory
● 128. Structure	(SAT) Satisfactory
Jib/Fly Extension	
● 129. Structure	(SAT) Satisfactory
● 130. Locking Devices	(SAT) Satisfactory
● 131. Sheaves	(SAT) Satisfactory
● 132. Wire Rope Retainers	(SAT) Satisfactory
● 133. Alignment	(SAT) Satisfactory
● 134. End Connectors & Pins	(SAT) Satisfactory
Main Drum Wire Rope	
135. Wire Rope Information	
Diameter	Construction/Type
17mm	rotation resistant
	Number of Parts
	2
● 136. Rope Damage	(SAT) Satisfactory
● 137. Lubrication	(SAT) Satisfactory
● 138. End Connectors	(SAT) Satisfactory
Main Hoist Load Block/Headache Ball/Hook	
139. Capacity and Weight	
Capacity	Weight
20 ton	325kg
● 140. Capacity Marking	(SAT) Satisfactory
● 141. Weight Marking	(SAT) Satisfactory
● 142. Sheave(s)	(SAT) Satisfactory
● 143. Safety Latch(es)	(SAT) Satisfactory
● 144. 0° Hook Bend/Twist	(SAT) Satisfactory
● 145. 5% Hook Opening or 1/4" Max	(SAT) Satisfactory
● 146. 10% Hook Wear Max	(SAT) Satisfactory
● 147. Bearing	(SAT) Satisfactory
● 148. Wedge Socket/End Fitting	(SAT) Satisfactory
● 149. Reeving	(SAT) Satisfactory
Verification and Completion	
150. Inspector Name & Signature	Chris Volz
	
151. Additional Inspection Notes	
● 152. Sticker Given	(Y) Yes, Given on Site

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.