



Prepared for:

Sautter Crane rental

2900 Black Lake Place Philadelphia, PA 19154

Sautter Delaware Yard

on

1/6/2024

Please return the entire report.

Customer Sign Off

-If there are no deficiencies nothing needs to be done

-If there are any (HIGH, RED) deficiencies please follow the instructions below

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to tony.rossi@tandemlift.com or jon.santimaw@tandemlift.com. After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance.

-The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.

Signature

Date

Table of Contents

 High  Med  Low Section

Inspection - *Sautter Delaware Yard*

Telescoping Boom Crane: 093074 -
S304

0

0

2

1.0


Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Overview

Breakdown by Form

Form Type	 High	 Med	 Low	# Forms
Inspection	0	0	2	1
Overall:	0	0	2	1

Breakdown by Location

Location	 High	 Med	 Low	# Forms
Sautter Delaware Yard	0	0	2	1
Overall:	0	0	2	1

Breakdown by Asset

Asset Type	 High	 Med	 Low	# Assets
Telescoping Boom Crane	0	0	2	1
Overall:	0	0	2	1

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



Tandem Lift LLC
 321 Enlow Place
 Pennsville, NJ 08070
 833-TANDEM1

Inspection

Sautter Crane rental
 2900 Black Lake Place
 Philadelphia, PA 19154

FolderID: 010624S304
 FormID: 18934142



Telescoping Boom Crane

Location: Sautter Delaware Yard
 36 Brookhill Drive
 Newark, DE 19702

Serial #: 093074

TagID: S304

Manufacturer: Liebherr

Model: LTM 1100 5.2

Capacity: 110 Tons

Length/Lift: 171'

Hook Type: Load Block & Hook

Priorities Found: ● 2 - Low ● 122 - Good

Hours and Miles

1. Hours	2,297 Hours
2. Miles	20,255 Miles
3. Hours [COPY]	0 Hours
4. Hours [COPY]	0 Hours

Historical Records

● 5. Monthly Inspection	(SAT) Satisfactory
● 6. Record of Maintenance	(SAT) Satisfactory
● 7. Documentation of Annual / Comprehensive Inspection	(SAT) Satisfactory
● 8. Equipment Modification(s) or additions	(NA) Not Applicable
● 9. Record of Load Test	(NA) Not Applicable

General

● 10. External Lights	(SAT) Satisfactory	
● 11. Housekeeping	(SAT) Satisfactory	
● 12. Safety and Warning Labels	(SAT) Satisfactory	P12
● 13. Hand Signal Chart	(MON) Monitor	
■ Worn faded		

Driver's Cab and Station

● 14. Service Brake	(SAT) Satisfactory
● 15. Emergency Brake	(SAT) Satisfactory
● 16. Parking Brake	(SAT) Satisfactory
● 17. External Lights (Headlights, Taillights, Brake Lights)	(SAT) Satisfactory
● 18. Audible Warning Device	(SAT) Satisfactory
● 19. Audible Reverse Signal Alarm	(SAT) Satisfactory
● 20. Windows / Mirrors	(SAT) Satisfactory
● 21. Windshield Wipers	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

●	22. Windshield Defroster	(SAT) Satisfactory
●	23. Seatbelts	(SAT) Satisfactory
●	24. Tires	(SAT) Satisfactory
●	25. Seat	(SAT) Satisfactory
●	26. Steering	(SAT) Satisfactory
●	27. Housekeeping	(SAT) Satisfactory
●	28. Fire Extinguisher	(MON) Monitor
■	<i>Appears to be in working order but out of date</i>	
Lower Carrier Power Plant		
●	29. Engine Performance	(SAT) Satisfactory
●	30. Exhaust System	(SAT) Satisfactory
●	31. Belts	(SAT) Satisfactory
●	32. Rotating and Reciprocating Parts	(SAT) Satisfactory
Carrier		
●	33. Transmission	(SAT) Satisfactory
●	34. Drive Line	(SAT) Satisfactory
●	35. Tires	(SAT) Satisfactory
●	36. Tire Air Pressure	(SAT) Satisfactory
●	37. Main Frame Members	(SAT) Satisfactory
●	38. Hydraulic Hoses, Fittings, Tubes	(SAT) Satisfactory
●	39. Hydraulic Fluid Level	(SAT) Satisfactory
●	40. Hoses / Tubing / Fittings .	(SAT) Satisfactory
●	41. Slip Resistant Walking surface	(SAT) Satisfactory
●	42. Axle Lockout	(SAT) Satisfactory
●	43. Audible Reverse Signal Alarm	(SAT) Satisfactory
Outriggers		
●	44. Boxes & Beams	(SAT) Satisfactory
●	45. Hydraulic Cylinders	(SAT) Satisfactory
●	46. Pad / Float	(SAT) Satisfactory
●	47. Hoses / Tubing / Fittings	(SAT) Satisfactory
●	48. Holding Valves	(SAT) Satisfactory
●	49. Caution / Warning Signs	(SAT) Satisfactory
Operator's Station		
●	50. Windows	(SAT) Satisfactory
●	51. Windshield Wipers	(SAT) Satisfactory
●	52. Cab Door Restraint	(SAT) Satisfactory
●	53. Cab Access	(SAT) Satisfactory
●	54. Steps / Ladders / Handrails	(SAT) Satisfactory
●	55. Anti-Skid Stepping Surfaces	(SAT) Satisfactory
●	56. Load Chart	(SAT) Satisfactory
●	57. Fire Extinguisher	(SAT) Satisfactory
●	58. Operator's Manual	(SAT) Satisfactory
●	59. Seat	(SAT) Satisfactory
●	60. Seatbelts	(SAT) Satisfactory
●	61. Electrocutation Warning Sign(s)	(SAT) Satisfactory
●	62. Level	(SAT) Satisfactory
●	63. Horn	(SAT) Satisfactory


Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 64. Load Indicator	(SAT) Satisfactory
● 65. Controls Identified	(SAT) Satisfactory
● 66. Control Mechanisms	(SAT) Satisfactory
● 67. Power Plant Controls	(SAT) Satisfactory
● 68. Brake and Clutch	(NA) Not Applicable
● 69. Travel Brakes	(NA) Not Applicable
● 70. Travel Controls	(NA) Not Applicable
● 71. Travel Mechanism	(NA) Not Applicable
● 72. Travel Locks	(NA) Not Applicable
Load Chart	
● 73. Ground Level, Remotely Controlled	(SAT) Satisfactory
● 74. Per Configuration	(SAT) Satisfactory
● 75. Visible from Fixed Operator's Station	(SAT) Satisfactory
● 76. Durable / Legible/ Secured	(SAT) Satisfactory
Safety Devices / Operational Aids	
● 77. Boom Angle Indicator	(SAT) Satisfactory
● 78. Boom Length Indicator	(SAT) Satisfactory
● 79. Main Drum Rotation Indicator	(SAT) Satisfactory
● 80. Auxiliary Drum Rotation Indicator	(NA) Not Applicable
■ <i>Not in use</i>	
● 81. Load Moment Indicator	(SAT) Satisfactory
● 82. Load Weight Indicator	(SAT) Satisfactory
● 83. Radius Indicator	(SAT) Satisfactory
● 84. Level Indicator	(SAT) Satisfactory
● 85. Two-Block System	(SAT) Satisfactory
● 86. Overload Prevention Device	(SAT) Satisfactory
Upper Power Plant	
● 87. Performance	(SAT) Satisfactory
● 88. Exhaust System/Guards & Insulators	(SAT) Satisfactory
● 89. Hoses	(SAT) Satisfactory
● 90. Reciprocating and rotating parts	(SAT) Satisfactory
Rotating Upper Structure	
● 91. Turntable / Bearing	(SAT) Satisfactory
● 92. Turntable / Rollers	(SAT) Satisfactory
● 93. Counterweight Frame	(SAT) Satisfactory
● 94. Ring and Pinion Gear	(SAT) Satisfactory
● 95. Hydraulic and Pneumatic Pumps	(SAT) Satisfactory
● 96. Hydraulic Tubes, Fitting, and Hoses	(SAT) Satisfactory
● 97. Hydraulic Pressure	(SAT) Satisfactory
● 98. Electrical Wiring	(SAT) Satisfactory
● 99. Main Hoist - Brakes and Clutch System	(SAT) Satisfactory
● 100. Main Hoist - Wire Rope Reeving	(SAT) Satisfactory
■ <i>2 parts of line</i>	
● 101. Main Hoist - Meets 2 rope wrap minimum	(SAT) Satisfactory
● 102. Auxiliary Hoist - Brakes and Clutch System	(NA) Not Applicable
■ <i>Not in use</i>	
● 103. Auxiliary Hoist - Wire Rope Reeving	(NA) Not Applicable

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 104. Auxiliary Hoist - Meets 2 rope wrap minimum	(NA) Not Applicable
● 105. Swing System / Assembly	(SAT) Satisfactory
● 106. Counterweight Mounting	(SAT) Satisfactory
● 107. Counterweight Posted Warnings	(SAT) Satisfactory
● 108. Electrocutation Posted Warnings	(SAT) Satisfactory
Main Boom	
● 114. Lift Cylinder(s)	(SAT) Satisfactory
● 115. Telescoping Boom Cylinder(s)	(SAT) Satisfactory
● 116. Hydraulic Hoses, Tubes, and Fittings	(SAT) Satisfactory
● 117. Holding Device	(SAT) Satisfactory
● 118. Boom Sections Alignment	(SAT) Satisfactory
● 119. Wear Pads	(SAT) Satisfactory
● 120. Sheaves	(SAT) Satisfactory
● 121. Hoist Line Dead End	(SAT) Satisfactory
● 122. Boom Hinge Pin	(SAT) Satisfactory
● 123. Boom Head Section	(SAT) Satisfactory
● 124. Auxiliary Boom Head	(SAT) Satisfactory
● 125. Structure	(SAT) Satisfactory
Jib	
● 126. Sheaves	(SAT) Satisfactory
● 127. Wire Rope Retainers	(SAT) Satisfactory
● 128. End Connections and Pins	(SAT) Satisfactory
● 129. Wire Rope Retainers.	(SAT) Satisfactory
Main Drum Wire Rope	
● 133. Rope Damage	(SAT) Satisfactory
134. Diameter and wear	
Size	Actual diameter measurement
21mm	21.2mm
● 135. Lubrication	(SAT) Satisfactory
● 136. End Connectors	(SAT) Satisfactory
Auxiliary drum wire rope	
● 153. Rope Damage	(NA) Not Applicable
☐ <i>Not in use</i>	
154. Diameter and wear	
Size	Actual diameter measurement
0	0
● 155. Broken Wires	(NA) Not Applicable
● 156. Lubrication.	(NA) Not Applicable
● 157. End Connectors	(NA) Not Applicable
Load Block & Hook	
● 158. Capacity Marking	(SAT) Satisfactory
● 159. Weight Marking	(SAT) Satisfactory
● 160. Sheave(s)	(SAT) Satisfactory
● 161. Safety Latch(es)	(SAT) Satisfactory
● 162. 0° Hook Bend or Twist	(SAT) Satisfactory
● 163. 5% Hook Opening or 1/4" Max	(SAT) Satisfactory
● 164. 10% Hook Wear Max	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 165. Bearing	(SAT) Satisfactory
● 166. Wedge Socket / End Fitting	(SAT) Satisfactory
● 167. Reeving	(SAT) Satisfactory
No-Load Operational Test	
● 176. No-Load Operational Test	(SAT) Satisfactory
Verification and Completion	
177. Inspector Name and Signature	Jonathan Santimaw
	
178. Customer Sign Off - If there are no deficiencies nothing needs to be done - If there are any (HIGH, RED) deficiencies please follow the instructions below.	
179. Date of Inspection	01/06/2024
● 180. Certificate Issued	(Y) Yes



P12.1