

Inspection Sautter Crane Rental

Newark, DE

FolderID: 12158 FormID: 16786315

-	Hydraulic Boom Crane Inspection Report (1910.180 & 1926.1400-1926.1441 as necessary) Completed by: Dylan VanHorn on 05/13/2023		Manufacturer:	Liebherr
Service .			Model:	LTM1070-4.2
			Capacity:	70 Tons
*	Location:	Newark. DE	Length/Lift:	164'
the second s	Serial #:	060 878	Type of Crane:	Truck Crane (1910.180 & 1926.1400)
	Unit #:	S293	Number of Hoists:	Main Only
	Offic #.	5235	Boom Configuration:	Main Boom with Stowed Jib

Priorities Found: 😑 1 - Low 🕚 102 - Good

Location of Equipment

1. Location of Equipment

Customer Sign Off

2. Customer Sign Off

IF THERE ARE NO DEFICIENCIES NOTHING NEEDS TO BE DONE.

IF THERE ARE ANY HIGH, RED, DEFICIENCIES PLEASE FOLLOW THE BELOW INSTRUCTIONS

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS PAGE ONLY to either jaime@atlanticcrane.com or gina@atlanticcrane.com or fax THIS PAGE ONLY to our office at215-639-2316 and a certification and sticker will be issued. The above deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However, those items should be corrected to improve equipment reliability and safety.


The undersigned verifies the listed deficiencies denoted with an (DEF, HIGH, RED) have been corrected.

	Signature	Date	-	
Inspec	tion Information			
3.	Inspection Number		23051302DV	
4.	Inspection Date		05/13/2023	
5 .	Inspection Type		(Ann) Annual	
Hours	and Miles			Ο
6.	Hours		1919 Hours	P6
7.	Miles		814.4 Miles	P7
Inform	ation & Records			
8.	Documentation of Annual / Comprehensive Inspection		(SAT) Satisfactory	
9.	Monthly Inspection		(SAT) Satisfactory	
• 10.	Record of Maintenance		(SAT) Satisfactory	
• 11.	Hand Signal Chart		(SAT) Satisfactory	
12.	Safety and Warning Labels		(SAT) Satisfactory	
• 13.	Operator's Manual		(SAT) Satisfactory	
Safety	Devices / Operational Aids			

	14.	Audible Reverse Signal Alarm	(SAT) Satisfactory
	15.	Audible Warning Device	(SAT) Satisfactory
	16.	Boom Angle Indicator	(SAT) Satisfactory
	17.	Boom Length Indicator	(SAT) Satisfactory
	18.	Drum Rotation Indicator	(SAT) Satisfactory
	19.	Two-Block System	(SAT) Satisfactory
	20.	Load Moment Indicator	(SAT) Satisfactory
	21.	Load Weight Indicator	(SAT) Satisfactory
		Level Indicator	(SAT) Satisfactory
		Fire Extinguisher	(SAT) Satisfactory
		Chart	(,
		Load Chart	(SAT) Satisfactory
		Per Configuration	(SAT) Satisfactory
		Visible from Fixed Operator's Station	(SAT) Satisfactory
			(SAT) Satisfactory
La	arrie		
		Steering Decline Protocol	(SAT) Satisfactory
	28.	Parking Brake	(SAT) Satisfactory
	29.	External Lights (Headlights, Taillights, Brake Lights)	(SAT) Satisfactory
	30.	Windshield Wipers	(SAT) Satisfactory
	31.	Windows / Mirrors	(SAT) Satisfactory
	32.	Wheels/Tires	(SAT) Satisfactory
	33.	Engine Performance	(SAT) Satisfactory
	34.	Exhaust System	(SAT) Satisfactory
	35.	Drive Line	(SAT) Satisfactory
	36.	Main Frame Members	(SAT) Satisfactory
	37.	Hydraulic Hoses, Fittings, Tubes	(SAT) Satisfactory
	38.	Hydraulic Fluid Level	(SAT) Satisfactory
	39.	Hoses / Tubing / Fittings .	(SAT) Satisfactory
	40.	Slip Resistant Walking surface	(SAT) Satisfactory
0	utrig	gers	
	41.	Boxes & Beams	(SAT) Satisfactory
	42.	Hydraulic Cylinders	(SAT) Satisfactory
	43.	Pad / Float	(SAT) Satisfactory
	44.	Hoses / Tubing / Fittings	(SAT) Satisfactory
	45.	Holding Valves	(SAT) Satisfactory
	46.	Caution / Warning Signs	(SAT) Satisfactory
O	perat	or's Station	
		Windows/Wipers	(SAT) Satisfactory
	48.	Cab Door Restraint	(SAT) Satisfactory
	49.	Cab Access	(SAT) Satisfactory
	50.	Steps / Ladders / Handrails	(SAT) Satisfactory
	51.	Anti-Skid Stepping Surfaces	(SAT) Satisfactory
	52.	Fire Extinguisher	(SAT) Satisfactory
	53.	Electrocution Warning Sign(s)	(SAT) Satisfactory
	54.	Horn	(SAT) Satisfactory
	55.	Controls Identified	(SAT) Satisfactory
	56.	Control Functions	(SAT) Satisfactory
	00.		(CAT) ballslablory

57.	Power Plant Controls		(SAT) Satisfactory
58.	Operator Cutoff (Deadman) Switch		(SAT) Satisfactory
Rotati	ng Upper Structure		
59.	Engine Performance		(SAT) Satisfactory
60.	Exhaust System/Guards & Insulato	rs	(SAT) Satisfactory
61.	Hoses		(SAT) Satisfactory
62.	Counterweight Frame		(SAT) Satisfactory
63.	Ring and Pinion Gear		(SAT) Satisfactory
64.	Hydraulic and Pneumatic Pumps		(SAT) Satisfactory
65.	Hydraulic Tubes, Fitting, and Hose	S	(SAT) Satisfactory
66.	Hydraulic Pressure		(SAT) Satisfactory
67.	Electrical Wiring		(SAT) Satisfactory
68.	Swing System / Assembly		(SAT) Satisfactory
69.	Counterweight Mounting		(SAT) Satisfactory
70.	Counterweight Posted Warnings		(SAT) Satisfactory
71.	Electrocution Posted Warnings		(SAT) Satisfactory
72.	Structure		(SAT) Satisfactory
loist	System		
	Brakes and Clutch System		(SAT) Satisfactory
	Wire Rope Reeving		(SAT) Satisfactory
	2 Rope Wrap Minimum		(SAT) Satisfactory
76.			(SAT) Satisfactory
77.			(SAT) Satisfactory
	Anchor System		(SAT) Satisfactory
	Hoist Spooling		(SAT) Satisfactory
	Boom		() cancer,
	Lift Cylinder(s)		(SAT) Satisfactory
	Telescoping Boom Cylinder(s)		(SAT) Satisfactory
82.		ns	(SAT) Satisfactory
83.	-	30	(SAT) Satisfactory
84.	Boom Sections Alignment		(SAT) Satisfactory
85.			(SAT) Satisfactory
86.			(SAT) Satisfactory
87.			(SAT) Satisfactory
88.	-		(SAT) Satisfactory
89.			(SAT) Satisfactory
	Structure		(SAT) Satisfactory
	y Extension		(OAT) ballslactory
	Sheaves		(SAT) Satisfactory
92.			(SAT) Satisfactory
93.	0		(SAT) Satisfactory
94.	5		(SAT) Satisfactory
95.			(SAT) Satisfactory
	Drum Wire Rope		
96.	Diameter and wear		
	Slze	Construction	Number of Parts of Line

	(MON) Yes, monitor condition monthly		Rope Damage	97.
		d fitting.	Minor dog leg about 1' belov	-
	(SAT) Satisfactory		Lubrication	98.
	(SAT) Satisfactory		End Connectors	99.
Ο		ok	loist Load Block/Ball &	in H
P1			Capacity & Weight	100.
		Weight	Capacity	
		300 kg	16 tons	
	(SAT) Satisfactory		Capacity Marking	101.
	(SAT) Satisfactory		Weight Marking	102.
	(SAT) Satisfactory		Sheave(s)	103.
	(SAT) Satisfactory		Safety Latch(es)	104.
	(SAT) Satisfactory		0° Hook Bend or Twist	105.
	(SAT) Satisfactory		5% Hook Opening or 1/4" M	106.
	(SAT) Satisfactory		10% Hook Wear Max	107.
	(SAT) Satisfactory		Bearing	108.
	(SAT) Satisfactory		Wedge Socket / End Fitting	109.
	(SAT) Satisfactory		Reeving	110.
			ation and Completion	rific
	Dylan VanHorn		Inspector Name and Signat	111.
		_	J. Vart	ſ
			Additional Inspection Notes	112.
		the time of Inspection	No visible deficiencies found	
			Sticker Given	112







P102.4