



Prepared for:

Sautter Crane Rental

2900 Black Lake Place Philadelphia, PA 19154

Sautter Yard

on

3/7/2026

Please return the entire report.

Customer Sign Off

-If there are no deficiencies nothing needs to be done

-If there are any (HIGH, RED) deficiencies please follow the instructions below

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to tony.rossi@tandemlift.com or jon.santimaw@tandemlift.com. After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance.

-The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.

William Sautter

3/9/26

Signature

Date

Table of Contents

● High ● Med ● Low Section

Hydraulic Boom Crane Annual Inspection Report (1910.180 & 1926.1400) - <i>Sautter Yard</i>	Telescoping Boom Crane: 233433 - S181	3	0	1	1.0
---	--	---	---	---	------------

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Overview

Breakdown by Form

Form Type	 High	 Med	 Low	# Forms
Hydraulic Boom Crane Annual Inspection Report (1910.180 & 1926.1400)	3	0	1	1
Overall:	3	0	1	1

Breakdown by Location

Location	 High	 Med	 Low	# Forms
Sautter Yard	3	0	1	1
Overall:	3	0	1	1

Breakdown by Asset

Asset Type	 High	 Med	 Low	# Assets
Telescoping Boom Crane	3	0	1	1
Overall:	3	0	1	1

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



Hydraulic Boom Crane Annual Inspection Report (1910.180 & 1926.1400)

FolderID: 030726S181
 FormID: 28095477

Sautter Crane Rental
 2900 Black Lake Place
 Philadelphia, PA 19154



Telescoping Boom Crane

Location: Sautter Yard
 2900 Black Lake Place
 Philadelphia, PA 19154

Serial Number: 233433

Unit Number: S181

*Additional Notes: 102 ft boom
 7 parts of line
 Can't inspect extend and retract cables without
 disassembling boom*

Manufacturer:	Grove
Model:	RT540E
Capacity:	40 Tons
Length/Lift:	102'
Type of Crane:	Rough Terrain Crane
Number of Hoists:	Main and Auxiliary (Not in Use)
Boom Configuration:	Main Boom w/o Attached Jib
Load Test:	No

Priorities Found: ● **3 - High** ● **1 - Low** ● **102 - Good**

General

● 1. Location of Equipment	Sautter Yard
● 2. Customer Sign Off	
<p><i>Please return the entire report. Customer Sign Off -If there are no deficiencies nothing needs to be done -If there are any (HIGH, RED) deficiencies please follow the instructions below The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to tony.rossi@tandemlift.com or jon.santimaw@tandemlift.com. After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance. -The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.</i></p> <p>_____ <i>Signature</i></p>	

● 3. Hours & Mileage	
Hours	Mileage
3,671	N/A

Inspection Information

● 4. Inspection Number	030726S181
● 5. Inspection Date	03/07/2026
● 6. Inspection Type	(Ann) Annual

Information & Records

● 7. Documentation of Annual/Comprehensive Inspection	(SAT) Satisfactory
● 8. Daily/Monthly Inspection Records	(SAT) Satisfactory
● 9. Maintenance Records	(SAT) Satisfactory
● 10. Hand Signal Chart	(SAT) Satisfactory
● 11. Safety and Warning Decals	(SAT) Satisfactory
● 12. Operators Manual	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

●	13. Equipment Modification(s) or Additions	(SAT) Satisfactory	
Safety Devices & Operational Aids			
●	14. Backup Alarm	(SAT) Satisfactory	
●	15. Audible Warning Device	(SAT) Satisfactory	
●	16. Boom Angle Indicator	(DEF) Deficiency	P16
■	<i>Manual boom angle indicator on side of boom stuck</i>		
●	17. Boom Length Indicator	(SAT) Satisfactory	
●	18. Drum Rotation Indicator(s)	(SAT) Satisfactory	
●	19. Anti Two-Block Device/System	(SAT) Satisfactory	
●	20. Load Moment Indicator (LMI)	(SAT) Satisfactory	
●	21. Load Weight Indicator	(SAT) Satisfactory	
●	22. Radius Indicator	(SAT) Satisfactory	
●	23. Level Indicator(s)	(SAT) Satisfactory	
●	24. Fire Extinguisher	(SAT) Satisfactory	
Load Chart			
●	25. Visible/Accessible	(SAT) Satisfactory	
●	26. Per Configuration	(SAT) Satisfactory	
●	27. Durable/Legible/Secured	(SAT) Satisfactory	
Carrier			
●	28. Steering	(SAT) Satisfactory	
●	29. Parking Brake	(SAT) Satisfactory	
●	30. Exterior Lights (Headlights, Turn Signals, Brake Lights, Reverse Lights)	(SAT) Satisfactory	
●	31. Windshield & Wipers	(SAT) Satisfactory	
●	32. Windows & Mirrors	(SAT) Satisfactory	
●	33. Wheels & Tires	(SAT) Satisfactory	
●	34. Engine	(SAT) Satisfactory	
●	35. Exhaust System	(SAT) Satisfactory	
●	36. Drive Line	(SAT) Satisfactory	
●	37. Main Frame Members	(SAT) Satisfactory	
●	38. Hoses/Fittings//Valves	(SAT) Satisfactory	
●	39. Hydraulic Tank & Fluid Level	(SAT) Satisfactory	
●	40. Slip Resistant Walking Surfaces	(NOTE) Note	P40
■	<i>Damage to right rear fender.</i>		
●	41. Steps/Ladders/Handrails	(SAT) Satisfactory	
Outriggers/Stabilizers			
●	42. Structure & Mounting	(DEF) Deficiency	
■	<i>Right rear outrigger position not reading fully extended</i>		
●	43. Boxes & Beams	(SAT) Satisfactory	
●	44. Cylinders	(SAT) Satisfactory	
●	45. Pads/Floats	(DEF) Deficiency	P45
■	<i>Right front outrigger pad bent. Pad needs to be flat.</i>		
●	46. Hoses/Fittings/Valves	(SAT) Satisfactory	
Operators Station			
●	47. Windows & Wipers	(SAT) Satisfactory	
●	48. Cab Door Restraint	(SAT) Satisfactory	
●	49. Cab Access	(SAT) Satisfactory	
●	50. Steps/Ladders/Handrails	(SAT) Satisfactory	
●	51. Anti-Skid Stepping Surfaces	(SAT) Satisfactory	

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 52. Fire Extinguisher	(SAT) Satisfactory	
● 53. Operator Horn	(SAT) Satisfactory	
● 54. Controls Identified	(SAT) Satisfactory	
● 55. Control Functions	(SAT) Satisfactory	
● 56. Power Plant Controls	(SAT) Satisfactory	
● 57. Operator Cutoff Switch (Deadman)	(SAT) Satisfactory	
● 58. Brake & Clutch	(SAT) Satisfactory	
● 59. Travel Controls	(SAT) Satisfactory	
● 60. Accelerator/Throttle Control	(SAT) Satisfactory	
● 61. Hoses/Fittings/Valves	(SAT) Satisfactory	
● 62. Housekeeping	(SAT) Satisfactory	
Rotating Upper Structure		
● 63. Structure	(SAT) Satisfactory	
● 64. Hoses/Fittings/Valves	(SAT) Satisfactory	
● 65. Hydraulic & Pneumatic Pumps	(SAT) Satisfactory	
● 66. Hydraulic Pressure	(SAT) Satisfactory	
● 67. Electrical Wiring	(SAT) Satisfactory	
● 68. Ring & Pinion Gear	(SAT) Satisfactory	
● 69. Swing System/Assembly	(SAT) Satisfactory	
● 70. Counterweight Frame	(SAT) Satisfactory	
● 71. Counterweight Mounting	(SAT) Satisfactory	
Hoist System		
● 72. Brakes & Clutch System	(SAT) Satisfactory	
● 73. Wire Rope Reeving	(SAT) Satisfactory	
■ 7 parts of line		
● 74. 2 Rope Wrap Minimum	(SAT) Satisfactory	
● 75. Hoist Motor	(SAT) Satisfactory	
● 76. Hoses/Fittings/Valves	(SAT) Satisfactory	
● 77. Drums/Lagging/Flanges	(SAT) Satisfactory	
● 78. Anchor System	(SAT) Satisfactory	
● 79. Hoist Spooling	(SAT) Satisfactory	
Main Boom		
● 80. Lift Cylinder(s)	(SAT) Satisfactory	
● 81. Telescoping Boom Cylinder(s)	(SAT) Satisfactory	
● 82. Hoses/Fittings/Valves	(SAT) Satisfactory	
● 83. Holding Device	(SAT) Satisfactory	
● 84. Boom Sections Alignment	(SAT) Satisfactory	
● 85. Wear Pads	(SAT) Satisfactory	
● 86. Sheaves	(SAT) Satisfactory	
● 87. Wire Rope Retainers	(SAT) Satisfactory	
● 88. Boom Hinge Pin	(SAT) Satisfactory	
● 89. Boom Head Section	(SAT) Satisfactory	
● 90. Auxiliary Boom Head	(NA) Not Applicable	
● 91. Structure	(SAT) Satisfactory	
Main Drum Wire Rope		
● 92. Wire Rope Information		
Diameter	Construction/Type	Number of Parts
.648 inch	Non Rot RLL	7

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 93. Rope Damage			(SAT) Satisfactory
● 94. Lubrication			(SAT) Satisfactory
● 95. End Connectors			(SAT) Satisfactory
Main Hoist Load Block/Headache Ball/Hook			
● 96. Capacity and Weight			
	Capacity	Weight	
	40 Tons	588 lbs	
● 97. Capacity Marking			(SAT) Satisfactory
● 98. Weight Marking			(SAT) Satisfactory
● 99. Sheave(s)			(SAT) Satisfactory
● 100. Safety Latch(es)			(SAT) Satisfactory
● 101. 0° Hook Bend/Twist			(SAT) Satisfactory
● 102. 5% Hook Opening or 1/4" Max			(SAT) Satisfactory
● 103. 10% Hook Wear Max			(SAT) Satisfactory
● 104. Bearing			(SAT) Satisfactory
● 105. Wedge Socket/End Fitting			(SAT) Satisfactory
● 106. Reeving			(SAT) Satisfactory
■ 7 parts of line			
Auxiliary Drum Wire Rope			
● 107. Wire Rope Information			
	Diameter	Construction/Type	Number of Parts
	.656 inch	Non Rot RLL	N/A
Verification and Completion			
108. Inspector Name & Signature			Anthony Capozzi
			
109. Additional Inspection Notes			
● 110. Sticker Given			(L) No, Will be Sent After Signature of Deficiencies Corrected



P16.1



P40.2



P45.3

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.