



Prepared for:

Sautter Crane Rental

2900 Black Lake Place Philadelphia, PA 19154

Sautter Yard

on

3/7/2026

Please return the entire report.

Customer Sign Off

-If there are no deficiencies nothing needs to be done

-If there are any (HIGH, RED) deficiencies please follow the instructions below

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to tony.rossi@tandemlift.com or jon.santimaw@tandemlift.com. After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance.

-The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.

Signature

Date

Table of Contents

● High ● Med ● Low Section

| | | | | | |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------|---|---|---|------------|
| Hydraulic Boom Crane Annual Inspection Report (1910.180 & 1926.1400) - <i>Sautter Yard</i> | Telescoping Boom Crane: <i>044 078 - S440</i> | 0 | 1 | 0 | 1.0 |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------|---|---|---|------------|

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Overview

Breakdown by Form

| Form Type |  High |  Med |  Low | # Forms |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------|
| Hydraulic Boom Crane Annual Inspection Report (1910.180 & 1926.1400) | 0 | 1 | 0 | 1 |
| Overall: | 0 | 1 | 0 | 1 |

Breakdown by Location

| Location |  High |  Med |  Low | # Forms |
|-----------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------|
| Sautter Yard | 0 | 1 | 0 | 1 |
| Overall: | 0 | 1 | 0 | 1 |

Breakdown by Asset

| Asset Type |  High |  Med |  Low | # Assets |
|------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------|
| Telescoping Boom Crane | 0 | 1 | 0 | 1 |
| Overall: | 0 | 1 | 0 | 1 |

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



Hydraulic Boom Crane Annual Inspection Report (1910.180 & 1926.1400)

FolderID: 030726S440
 FormID: 28095476

Sautter Crane Rental
 2900 Black Lake Place
 Philadelphia, PA 19154



Telescoping Boom Crane

Location: Sautter Yard
 2900 Black Lake Place
 Philadelphia, PA 19154

Serial Number: 044 078

Unit Number: S440

*Additional Notes: 118 ft boom
 2 parts of line*

Manufacturer: Liebherr

Model: LTC 1050-3.1

Capacity: 50 Tons

Length/Lift: 118'

Type of Crane: All Terrain Crane

Number of Hoists: Main and Auxiliary (Not in Use)

Boom Configuration: Main Boom with Stowed Jib

Load Test: No

Priorities Found: ● 1 - Medium ● 112 - Good

General

● 1. Location of Equipment **Sautter Yard**

2. Customer Sign Off

Please return the entire report.

Customer Sign Off

-If there are no deficiencies nothing needs to be done

-If there are any (HIGH, RED) deficiencies please follow the instructions below

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to tony.rossi@tandemlift.com or jon.santimaw@tandemlift.com. After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance.

-The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.

Signature

● 3. Hours & Mileage

| Hours | Mileage |
|-------|---------|
| 600 | 8,413 |

Inspection Information

● 4. Inspection Number **030726S440**

● 5. Inspection Date **03/07/2026**

● 6. Inspection Type **(Ann) Annual**

Information & Records

● 7. Documentation of Annual/Comprehensive Inspection **(SAT) Satisfactory**

● 8. Daily/Monthly Inspection Records **(SAT) Satisfactory**

● 9. Maintenance Records **(SAT) Satisfactory**

● 10. Hand Signal Chart **(SAT) Satisfactory**

● 11. Safety and Warning Decals **(SAT) Satisfactory**

● 12. Operators Manual **(SAT) Satisfactory**

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Safety Devices & Operational Aids

| | |
|------------------------------------|--------------------|
| ● 13. Backup Alarm | (SAT) Satisfactory |
| ● 14. Audible Warning Device | (SAT) Satisfactory |
| ● 15. Boom Angle Indicator | (SAT) Satisfactory |
| ● 16. Boom Length Indicator | (SAT) Satisfactory |
| ● 17. Drum Rotation Indicator(s) | (SAT) Satisfactory |
| ● 18. Anti Two-Block Device/System | (SAT) Satisfactory |
| ● 19. Load Moment Indicator (LMI) | (SAT) Satisfactory |
| ● 20. Load Weight Indicator | (SAT) Satisfactory |
| ● 21. Radius Indicator | (SAT) Satisfactory |
| ● 22. Level Indicator(s) | (SAT) Satisfactory |
| ● 23. Fire Extinguisher | (SAT) Satisfactory |

Load Chart

| | |
|-------------------------------|--------------------|
| ● 24. Visible/Accessible | (SAT) Satisfactory |
| ● 25. Per Configuration | (SAT) Satisfactory |
| ● 26. Durable/Legible/Secured | (SAT) Satisfactory |

Carrier

| | |
|--------------------------------------------------------------------------------|--------------------|
| ● 27. Steering | (SAT) Satisfactory |
| ● 28. Parking Brake | (SAT) Satisfactory |
| ● 29. Exterior Lights (Headlights, Turn Signals, Brake Lights, Reverse Lights) | (SAT) Satisfactory |
| ● 30. Windshield & Wipers | (SAT) Satisfactory |
| ● 31. Windows & Mirrors | (SAT) Satisfactory |
| ● 32. Wheels & Tires | (SAT) Satisfactory |
| ● 33. Engine | (SAT) Satisfactory |
| ● 34. Exhaust System | (SAT) Satisfactory |
| ● 35. Axle Lockout | (SAT) Satisfactory |
| ● 36. Drive Line | (SAT) Satisfactory |
| ● 37. Main Frame Members | (SAT) Satisfactory |
| ● 38. Hoses/Fittings/Valves | (SAT) Satisfactory |
| ● 39. Hydraulic Tank & Fluid Level | (SAT) Satisfactory |
| ● 40. Slip Resistant Walking Surfaces | (SAT) Satisfactory |
| ● 41. Steps/Ladders/Handrails | (SAT) Satisfactory |

Outriggers/Stabilizers

| | |
|-----------------------------|--------------------|
| ● 42. Structure & Mounting | (SAT) Satisfactory |
| ● 43. Boxes & Beams | (SAT) Satisfactory |
| ● 44. Cylinders | (SAT) Satisfactory |
| ● 45. Pads/Floats | (SAT) Satisfactory |
| ● 46. Hoses/Fittings/Valves | (SAT) Satisfactory |

Operators Station

| | |
|-----------------------------------|--------------------|
| ● 47. Windows & Wipers | (SAT) Satisfactory |
| ● 48. Cab Door Restraint | (SAT) Satisfactory |
| ● 49. Cab Access | (SAT) Satisfactory |
| ● 50. Steps/Ladders/Handrails | (SAT) Satisfactory |
| ● 51. Anti-Skid Stepping Surfaces | (SAT) Satisfactory |
| ● 52. Fire Extinguisher | (SAT) Satisfactory |
| ● 53. Operator Horn | (SAT) Satisfactory |
| ● 54. Controls Identified | (SAT) Satisfactory |
| ● 55. Control Functions | (SAT) Satisfactory |

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

| | | |
|----------------------------------------|----------------------|-----|
| ● 56. Power Plant Controls | (SAT) Satisfactory | |
| ● 57. Operator Cutoff Switch (Deadman) | (SAT) Satisfactory | |
| ● 58. Brake & Clutch | (SAT) Satisfactory | |
| ● 59. Travel Controls | (SAT) Satisfactory | |
| ● 60. Accelerator/Throttle Control | (SAT) Satisfactory | |
| ● 61. Hoses/Fittings/Valves | (SAT) Satisfactory | |
| ● 62. Housekeeping | (SAT) Satisfactory | |
| Rotating Upper Structure | | |
| ● 63. Structure | (SAT) Satisfactory | |
| ● 64. Engine | (NA) Not Applicable | |
| ● 65. Exhaust System/Guards/Insulators | (NA) Not Applicable | |
| ● 66. Hoses/Fittings/Valves | (SAT) Satisfactory | |
| ● 67. Hydraulic & Pneumatic Pumps | (SAT) Satisfactory | |
| ● 68. Hydraulic Pressure | (SAT) Satisfactory | |
| ● 69. Electrical Wiring | (SAT) Satisfactory | |
| ● 70. Ring & Pinion Gear | (REC) Recommendation | P70 |
| ■ <i>Ring gear needs lubricant</i> | | |
| ● 71. Swing System/Assembly | (SAT) Satisfactory | |
| ● 72. Counterweight Frame | (SAT) Satisfactory | |
| ● 73. Counterweight Mounting | (SAT) Satisfactory | |
| Hoist System | | |
| ● 74. Brakes & Clutch System | (SAT) Satisfactory | |
| ● 75. Wire Rope Reeving | (SAT) Satisfactory | |
| ■ <i>2 parts of line</i> | | |
| ● 76. 2 Rope Wrap Minimum | (SAT) Satisfactory | |
| ● 77. Hoist Motor | (SAT) Satisfactory | |
| ● 78. Hoses/Fittings/Valves | (SAT) Satisfactory | |
| ● 79. Drums/Lagging/Flanges | (SAT) Satisfactory | |
| ● 80. Anchor System | (SAT) Satisfactory | |
| ● 81. Hoist Spooling | (SAT) Satisfactory | |
| Main Boom | | |
| ● 82. Lift Cylinder(s) | (SAT) Satisfactory | |
| ● 83. Telescoping Boom Cylinder(s) | (SAT) Satisfactory | |
| ● 84. Hoses/Fittings/Valves | (SAT) Satisfactory | |
| ● 85. Holding Device | (SAT) Satisfactory | |
| ● 86. Boom Sections Alignment | (SAT) Satisfactory | |
| ● 87. Wear Pads | (SAT) Satisfactory | |
| ● 88. Sheaves | (SAT) Satisfactory | |
| ● 89. Wire Rope Retainers | (SAT) Satisfactory | |
| ● 90. Boom Hinge Pin | (SAT) Satisfactory | |
| ● 91. Boom Head Section | (SAT) Satisfactory | |
| ● 92. Auxiliary Boom Head | (NA) Not Applicable | |
| ● 93. Structure | (SAT) Satisfactory | |
| Jib/Fly Extension | | |
| ● 94. Structure | (SAT) Satisfactory | |
| ● 95. Locking Devices | (SAT) Satisfactory | |
| ● 96. Sheaves | (SAT) Satisfactory | |
| ● 97. Wire Rope Retainers | (SAT) Satisfactory | |

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

| | | | |
|-------------------------------------------------------------------------------------|------------------|--------------------|------------------------|
| ● 98. Alignment | | | (SAT) Satisfactory |
| ● 99. End Connectors & Pins | | | (SAT) Satisfactory |
| Main Drum Wire Rope | | | |
| ● 100. Wire Rope Information | | | |
| | Diameter | Construction/Type | Number of Parts |
| | 15.58 mm | Non Rot RLL | 2 |
| ● 101. Rope Damage | | | (SAT) Satisfactory |
| ● 102. Lubrication | | | (SAT) Satisfactory |
| ● 103. End Connectors | | | (SAT) Satisfactory |
| Main Hoist Load Block/Headache Ball/Hook | | | |
| ● 104. Capacity and Weight | | | |
| | Capacity | Weight | |
| | 16 tonnes | 195 kg | |
| ● 105. Capacity Marking | | | (SAT) Satisfactory |
| ● 106. Weight Marking | | | (SAT) Satisfactory |
| ● 107. Sheave(s) | | | (SAT) Satisfactory |
| ● 108. Safety Latch(es) | | | (SAT) Satisfactory |
| ● 109. 0° Hook Bend/Twist | | | (SAT) Satisfactory |
| ● 110. 5% Hook Opening or 1/4" Max | | | (SAT) Satisfactory |
| ● 111. 10% Hook Wear Max | | | (SAT) Satisfactory |
| ● 112. Bearing | | | (SAT) Satisfactory |
| ● 113. Wedge Socket/End Fitting | | | (SAT) Satisfactory |
| ● 114. Reeving | | | (SAT) Satisfactory |
| | 2 parts of line | | |
| Auxiliary Drum Wire Rope | | | |
| ● 115. Wire Rope Information | | | |
| | Diameter | Construction/Type | Number of Parts |
| | 15.62 mm | Non Rot RLL | N/A |
| Verification and Completion | | | |
| ● 116. Inspector Name & Signature | | | Anthony Capozzi |
|  | | | |
| 117. Additional Inspection Notes | | | |
| ● 118. Sticker Given | | | (Y) Yes, Given on Site |

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



P70.1