



Prepared for:

Sautter Crane rental

2900 Black Lake Place Philadelphia, PA 19154

2583 State Rd

on

4/4/2024

Please return the entire report.

Customer Sign Off

-If there are no deficiencies nothing needs to be done

-If there are any (HIGH, RED) deficiencies please follow the instructions below

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to tony.rossi@tandemlift.com or jon.santimaw@tandemlift.com. After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance.

-The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.

Signature

Date

Table of Contents




 High  Med  Low Section

Hydraulic Boom Crane Inspection Report (1910.180 & 1926.1400) - 2583 State Rd	Telescoping Boom Crane: 232655 - S192	0	0	0	1.0
---	---------------------------------------	---	---	---	------------

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Overview



Breakdown by Form

Form Type	 High	 Med	 Low	# Forms
Hydraulic Boom Crane Inspection Report (1910.180 & 1926.1400)	0	0	0	1
Overall:	0	0	0	1

Breakdown by Location

Location	 High	 Med	 Low	# Forms
2583 State Rd	0	0	0	1
Overall:	0	0	0	1

Breakdown by Asset

Asset Type	 High	 Med	 Low	# Assets
Telescoping Boom Crane	0	0	0	1
Overall:	0	0	0	1

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.



Hydraulic Boom Crane Inspection Report (1910.180 & 1926.1400)

Sautter Crane rental
 2900 Black Lake Place
 Philadelphia, PA 19154

FolderID: 040324S192
 FormID: 19970391



Telescoping Boom Crane

Location: 2583 State Rd
 2583 State Rd
 Bensalem, PA19020

Serial Number: 232655

Unit Number: S192

*Additional Notes: 102 ft boom
 1 part of line
 Can't inspect extend and retract cables unless
 boom is disassembled*

Manufacturer: Grove

Model: RT540E

Capacity: 40 Tons

Length/Lift: 102'

Type of Crane: Rough Terrain Crane

Number of Hoists: Main and Auxiliary (Not in Use)

Boom Configuration: Main Boom with Stowed Jib

Load Test: No

Priorities Found: ● **103 - Good**

General

1. Location of Equipment **2583 State Road**

2. Customer Sign Off

Please return the entire report.

Customer Sign Off

-If there are no deficiencies nothing needs to be done

-If there are any (HIGH, RED) deficiencies please follow the instructions below

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS ENTIRE REPORT to tony.rossi@tandemlift.com or jon.santimaw@tandemlift.com. After the signed document is received, a certification and label will be issued. The deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However those items should be corrected to improve equipment reliability and performance.

-The undersigned verifies that the deficiencies denoted with (DEF, HIGH, RED) have been corrected.

Signature

3. Hours & Mileage

Hours	Mileage
3,788	N/A

Inspection Information

4. Inspection Number **040324S192**

5. Inspection Date **04/03/2024**

● 6. Inspection Type **(Ann) Annual**

Information & Records

- | | |
|---|----------------------------|
| ● 7. Documentation of Annual/Comprehensive Inspection | (SAT) Satisfactory |
| ● 8. Daily/Monthly Inspection Records | (SAT) Satisfactory |
| ● 9. Hand Signal Chart | (SAT) Satisfactory |
| ● 10. Safety and Warning Decals | (SAT) Satisfactory |
| ● 11. Operators Manual | (SAT) Satisfactory |
| ● 12. Equipment Modification(s) or Additions | (NA) Not Applicable |

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Safety Devices & Operational Aids

● 13. Backup Alarm	(SAT) Satisfactory
● 14. Audible Warning Device	(SAT) Satisfactory
● 15. Boom Angle Indicator	(SAT) Satisfactory
● 16. Boom Length Indicator	(SAT) Satisfactory
● 17. Drum Rotation Indicator(s)	(SAT) Satisfactory
● 18. Anti Two-Block Device/System	(SAT) Satisfactory
● 19. Load Moment Indicator (LMI)	(SAT) Satisfactory
● 20. Load Weight Indicator	(SAT) Satisfactory
● 21. Radius Indicator	(SAT) Satisfactory
● 22. Level Indicator(s)	(SAT) Satisfactory
● 23. Fire Extinguisher	(SAT) Satisfactory

Load Chart

● 24. Visible/Accessible	(SAT) Satisfactory
● 25. Per Configuration	(SAT) Satisfactory
● 26. Durable/Legible/Secured	(SAT) Satisfactory

Carrier

● 27. Steering	(SAT) Satisfactory
● 28. Parking Brake	(SAT) Satisfactory
● 29. Exterior Lights (Headlights, Turn Signals, Brake Lights, Reverse Lights)	(SAT) Satisfactory
● 30. Windshield & Wipers	(SAT) Satisfactory
● 31. Windows & Mirrors	(SAT) Satisfactory
● 32. Wheels & Tires	(SAT) Satisfactory
● 33. Engine	(SAT) Satisfactory
● 34. Exhaust System	(SAT) Satisfactory
● 35. Drive Line	(SAT) Satisfactory
● 36. Main Frame Members	(SAT) Satisfactory
● 37. Hoses/Fittings/Valves	(SAT) Satisfactory
● 38. Hydraulic Tank & Fluid Level	(SAT) Satisfactory
● 39. Slip Resistant Walking Surfaces	(SAT) Satisfactory
● 40. Steps/Ladders/Handrails	(SAT) Satisfactory

Outriggers/Stabilizers

● 41. Structure & Mounting	(SAT) Satisfactory
● 42. Boxes & Beams	(SAT) Satisfactory
● 43. Cylinders	(SAT) Satisfactory
● 44. Pads/Floats	(SAT) Satisfactory
● 45. Hoses/Fittings/Valves	(SAT) Satisfactory

Operators Station

● 46. Windows & Wipers	(SAT) Satisfactory
● 47. Cab Door Restraint	(SAT) Satisfactory
● 48. Cab Access	(SAT) Satisfactory
● 49. Steps/Ladders/Handrails	(SAT) Satisfactory
● 50. Anti-Skid Stepping Surfaces	(SAT) Satisfactory
● 51. Fire Extinguisher	(SAT) Satisfactory
● 52. Operator Horn	(SAT) Satisfactory
● 53. Controls Identified	(SAT) Satisfactory
● 54. Control Functions	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

● 55. Power Plant Controls	(SAT) Satisfactory
● 56. Operator Cutoff Switch (Deadman)	(SAT) Satisfactory
● 57. Brake & Clutch	(SAT) Satisfactory
● 58. Travel Controls	(SAT) Satisfactory
● 59. Accelerator/Throttle Control	(SAT) Satisfactory
● 60. Hoses/Fittings/Valves	(SAT) Satisfactory
● 61. Housekeeping	(SAT) Satisfactory
Rotating Upper Structure	
● 62. Structure	(SAT) Satisfactory
● 63. Hoses/Fittings/Valves	(SAT) Satisfactory
● 64. Hydraulic & Pneumatic Pumps	(SAT) Satisfactory
● 65. Hydraulic Pressure	(SAT) Satisfactory
● 66. Electrical Wiring	(SAT) Satisfactory
● 67. Ring & Pinion Gear	(SAT) Satisfactory
● 68. Swing System/Assembly	(SAT) Satisfactory
● 69. Counterweight Frame	(SAT) Satisfactory
● 70. Counterweight Mounting	(SAT) Satisfactory
Hoist System	
● 71. Brakes & Clutch System	(SAT) Satisfactory
● 72. Wire Rope Reeving	(SAT) Satisfactory
■ 1 part of line	
● 73. 2 Rope Wrap Minimum	(SAT) Satisfactory
● 74. Hoist Motor	(SAT) Satisfactory
● 75. Hoses/Fittings/Valves	(SAT) Satisfactory
● 76. Drums/Lagging/Flanges	(SAT) Satisfactory
● 77. Anchor System	(SAT) Satisfactory
● 78. Hoist Spooling	(SAT) Satisfactory
Main Boom	
● 79. Lift Cylinder(s)	(SAT) Satisfactory
● 80. Telescoping Boom Cylinder(s)	(SAT) Satisfactory
● 81. Hoses/Fittings/Valves	(SAT) Satisfactory
● 82. Holding Device	(SAT) Satisfactory
● 83. Boom Sections Alignment	(SAT) Satisfactory
● 84. Wear Pads	(SAT) Satisfactory
● 85. Sheaves	(SAT) Satisfactory
● 86. Wire Rope Retainers	(SAT) Satisfactory
● 87. Boom Hinge Pin	(SAT) Satisfactory
● 88. Boom Head Section	(SAT) Satisfactory
● 89. Auxiliary Boom Head	(NA) Not Applicable
● 90. Structure	(SAT) Satisfactory
Jib/Fly Extension	
● 91. Structure	(SAT) Satisfactory
● 92. Locking Devices	(SAT) Satisfactory
● 93. Sheaves	(SAT) Satisfactory
● 94. Wire Rope Retainers	(SAT) Satisfactory
● 95. Alignment	(SAT) Satisfactory
● 96. End Connectors & Pins	(SAT) Satisfactory

Tandem Lift LLC disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Tandem Lift LLC. Tandem Lift LLC shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

Main Drum Wire Rope

97. Wire Rope Information		
Diameter	Construction/Type	Number of Parts
.644 inch	Non Rotational	1
● 98. Rope Damage		(SAT) Satisfactory
● 99. Lubrication		(SAT) Satisfactory
● 100. End Connectors		(SAT) Satisfactory


Main Hoist Load Block/Headache Ball/Hook

101. Capacity and Weight		
Capacity	Weight	
7.5 Tons	285 lbs	
● 102. Capacity Marking		(SAT) Satisfactory
● 103. Weight Marking		(SAT) Satisfactory
● 104. Sheave(s)		(SAT) Satisfactory
● 105. Safety Latch(es)		(SAT) Satisfactory
● 106. 0° Hook Bend/Twist		(SAT) Satisfactory
● 107. 5% Hook Opening or 1/4" Max		(SAT) Satisfactory
● 108. 10% Hook Wear Max		(SAT) Satisfactory
● 109. Bearing		(SAT) Satisfactory
● 110. Wedge Socket/End Fitting		(SAT) Satisfactory
● 111. Reeving		(SAT) Satisfactory
🗨 1 part of line		

Auxiliary Drum Wire Rope

112. Wire Rope Information		
Diameter	Construction/Type	Number of Parts
.652 inch	Non Rotational	N/A

Verification and Completion

113. Inspector Name & Signature	Anthony Capozzi
	
114. Additional Inspection Notes	
● 115. Sticker Given	(Y) Yes, Given on Site